

**ANDREW LANG**

**Bibliography**

## Andrew Lang's publications

- Vand V., Lomer T.R. & Lang A.R. (1947). Nature. **159**, 507-508. *Crystal structure of a crossed-chainpotassium soap.*
- Vand V., Lomer T.R. & Lang A.R. (1949). Acta Cryst. **2**, 214-220. *The Crystal Structure of Form A of Potassium Caprate.*
- Wooster W.A., Ramachandran G.N. & Lang A.R. (1949). Rev. Sci. Instrum. **25**, 405-407. *A note on the use of X-ray counter spectrometers for single crystal measurements.*
- Wooster W.A., Ramachandran G.N. & Lang A.R. (1949). Rev. Sci. Instrum. **26**, 156-157. *A new bent-crystal monochromator.*
- Lang A.R. (1951). Naure. **168**, 907-908. *The proportional counter in X-ray diffraction work.*
- Lang A.R. (1952). J. Sci. Instrum. **29**, 176-178. *A printing recorder for use in conjunction with scaling units.*
- Lang A.R. (1952). Proc. Phys. Soc. A. **65**, 372-373. *Wavelength resolution of X-ray proportional counters.*
- Lang A.R. (1953). Proc. Phys. Soc., **56**, 1003-1008. *Extinction in X-ray diffraction patterns of powders.*
- Lang A.R. (1954) Acta Cryst., **7**, 583-587. *A new photographic method for studying the texture of large single crystals.*
- Lang A.R. (1954). Rev. Sci. Instrum. **25**, 1032-1033. *A proposed method for electronic intensification of single-crystal X-ray diffraction images.*
- Lang A.R. (1954). Rev. Sci. Instrum. **25**, 1039-1040. *Suggested necessary conditions for successful use of the stationary-crystal integrated reflection measuring method with the counter spectrometer.*
- Atwater H.A., Lang A.R. & Chalmers B. (1955). Can. J. Phys. **33**, 362-353. *Some observations of surface phenomena appearing on lead single crystals.*
- Lang A.R. (1955). Rev. Sci. Instrum. **26**, 680-689. *Focusing transmission specimen technique for the X-ray diffractometer.*
- Lang A.R. (1956) Acta Cryst., **9**, 436-445. *An X-ray Study of  $\alpha$ -Keratin. I. A General Diffraction Theory for Convoluted Chain Structures and an Approximate Theory for Coiled-Coils.*
- Lang A.R. (1956) Acta Cryst., **9**, 446-451. *An X-ray Study of  $\alpha$ -Keratin. II. Diffractometer measurements of the complete diffraction pattern of Canadian porcupine quill.*
- Lang A.R. (1956). Rev. Sci. Instrum. **33**, 138-141. *A versatile X-ray diffractometer for single crystal and powder studies.*
- Lang A.R. (1956). J. Appl. Phys. **27**, 485-488. *Effect of dispersion and geometric intensity factors on X-ray back-reflection line profiles.*
- Lang A.R. (1956). Rev. Sci. Instrum. **27**, 17-25. *Diffracted-beam monochromatization techniques in X-ray diffractometry.*
- Lang A.R. (1956). Rev. Sci. Instrum. **33**, 96-102. *Some notes on the design and performance of X-ray proportional counters.*
- Lang A.R. & Broad D.A.G. (1956). Brit. J. Appl. Phys. **7**, 221-226. *Electron optics of X-ray tubes*

*and the design of unbiased sharply-focusing cathodes.*

Lang A.R. (1957). Acta Met., **5**, 358-364. *A method for the examination of crystal section using penetrating characteristic X radiation.*

Lang A.R. (1957) Acta Cryst., **10**, 252-254. *The Study of Multiple Reflections with the Aid of a Microfocus X-ray Source.*

Lang A.R. (1957). J. Appl. Phys. **28**, 497-498. *On the origin of certain spirals of large step-height observed on crystal surfaces.*

Lang A.R. (1958). J. Appl. Phys., **29**, 597-598. *Direct observation of individual dislocations by X-ray diffraction.*

Frank F.C. & Lang A.R. (1959). Phil. Mag., **4**, 383-384. *Observation by X-ray diffraction of dislocations in diamond.*

Kato N. & Lang A.R. (1959). Acta Cryst., **12**, 787-794. *A Study of Pendellösung Fringes in X-ray diffraction.*

Lang A.R. (1959). Acta Cryst., **12**, 249-250. *The projection topograph. A new method in X-ray diffraction micrography.*

Lang A.R. (1959). J. Appl. Phys. **30**, 1748-1755. *Studies of individual dislocations in crystals by X-ray diffraction microradiography.*

Lang A.R. & Meyrick G. (1959). Phil. Mag., **4**, 878-880. *Dislocation structures observed in high purity recrystallized aluminium by X-ray diffraction.*

Hart M. & Lang A.R. (1961). Phys. Rev. Lett., **4**, 120-121. *Direct determination of X-ray reflection phase relationships through simultaneous reflection.*

Jenkinson A.E. & Lang A.R. (1962). In Direct observation of imperfections in crystals. Ed. J.B. Newkirk and J.H. Wernick, Interscience, New York, 471-495. *X-ray diffraction topographic studies of dislocations in floating zone grown silicon.*

Polcarová M. & Lang A.R. (1962). Appl. Phys. Lett., **1**, 13-15. *X-ray topographic studies of magnetic domain configurations and movements.*

Lang A.R. (1963). In Encyclopedia of X-rays and gamma rays, G.L. Clark (ed.), Rheinhold Publishing Co., New York, 1053-1063. *Topography, X-ray diffraction in dislocation studies.*

Lang A.R. (1963). Brit. J. Appl. Phys., **14**, 904-907. *Applications of "limited projection topographs" and "direct beam topographs" in diffraction topography.*

Lang A.R. (1963). J. Phys. Soc. Jap., **18**, 332-335. *Recent studies of lattice defects by X-ray diffraction topography.*

Miuscov V.F. & Lang A.R. (1963). Kristallografiya. **8**, 652-666. *X-ray topographic study of magnesium oxide crystals.*

Shah C.J. & Lang A.R. (1963). Miner. Magazine. **33**, 594-599. *An unusual distribution of precipitates in a diamond.*

Authier A. & Lang A.R. (1964). J. Appl. Phys.. **35**, 1956-1959. *Three-dimensional x-ray topographic studies of internal dislocation sources in silicon.*

Lang A.R. (1964). Proc. Phys. Soc., **84**, 871-876. *A proposed structure for nitrogen impurity platelets in diamond.*

Lang A.R. (1964). Disc. Faraday Soc., **38**, 292-297. *Crystal growth and crystal perfection: X-ray*

*topographic studies.*

- Lang A.R. (1964). Proc. Roy. Soc. A. **278**, 234-242. *Dislocations in diamond and the origin of trigons.*
- Lang A.R. & Miuscov V.F. (1964). Phil. Mag.. 10, 263-268. *Dislocations configurations in magnesium oxide observed by X-ray topography.*
- Takagi M. & Lang A.R. (1964). Proc. Roy. Soc. A. **281**, 310-322. *X-ray Bragg reflection, "spike" reflection and ultraviolet absorption topography of diamonds*
- Authier A., Rogers C.B. & Lang A.R. (1965). Phil. Mag., **12**, 547-560. *On the macroscopic distribution of dislocations in single crystals of high-purity recrystallized aluminium.*
- Frank F.C. & Lang A.R. (1965). Phys. Properties of Diamond. Ed. R.Berman, 69 -115. *X-ray topography of diamond.*
- Hart M. & Lang A.R. (1965). Acta Cryst., **19**, 73-77. *The influence of X-ray polarization on the visibility of Pendellösung fringes in X-ray diffraction topographs.*
- Kamiya Y. & Lang A.R. (1965). J. Appl. Phys., **36**, 579-587. *X-ray diffraction and absorption topography of synthetic diamonds.*
- Kamiya Y. & Lang A.R. (1965). Phil. Mag., **11**, 347-356. *On the structure of coated diamonds.*
- Lang A.R. (1965). Acta Cryst., **19**, 682-682. *An explanation of the fringes on Berg Barrett topographs reported by Armstrong and Schultz.*
- Lang A.R. (1965). Z. Naturforsch. (a). **20**, 636-638. *X-ray topographic determination of the sense of pure screw dislocations.*
- Lang A.R. (1965). Appl. Phys. Lett.. **7**, 168-170. *Mapping Dauphiné and Brazil twins in quartz by X-ray topography.*
- Lang A.R. (1965). Acta Cryst., **19**, 290-291. *On the orientation of the Miller-Bravais axes of alpha-quartz.*
- Lang A.R. & Miles G.D. (1965). J. Appl. Phys., **36**, 1803-1807. *X-ray topography of decorated dislocations in magnesium oxide.*
- Lang A.R. & Miuscov V.F. (1965). Appl. Phys. Lett., **7**, 213-216. *Angström scale displacements revealed by X-ray Moiré topographs.*
- Lang A.R. & Polcarová M. (1965). Proc. Roy. Soc. A. **285**, 297-311. *X-ray topographic studies of dislocations in Iron-Silicon alloy single crystals.*
- Lawn B. & Kamiya Y., Lang A.R. (1965). Phil. Mag., **12**, 177-189. *An X-ray topographic study of planar growth defects in a natural diamond*
- Schlössin H.H. & Lang A.R. (1965). Phil. Mag., **12**, 283-296. *A study of repeated twinning, lattice imperfections and impurity distribution in amethyst.*
- Frank F.C., Lang A.R., Kaczer J. & Polcarová M. (1966). IEEE Trans. Magn., Mag. 2. 3, 511-. *Internal magnetic domain-structure investigations in Iron Silicon single crystals.*
- Lang A.R. & Miuscov V.F. (1966). Proc. Symposium on Crystal Growth, 7th Intern. Congress of Crystallography, Moscow. /, 133-144. *Defects in natural and synthetic quartz.*
- Frank F.C., Lawn B.R., Lang A.R. & Wilks E.M. (1967). Proc. Roy. Soc. A. **301**, 239-252. *A study of strains in abraded diamond surfaces.*
- Lang A.R. (1967). Nature. **213**, 248-251. *Causes of birefringence in diamond.*

- Lang A.R. (1967). In Crystal Growth, Ed. H.S. Peiser, J. Phys. Chem. Solids suppl., **1**, 833-838.  
*Fault surfaces in alpha quartz: their analysis by X-ray diffraction contrast and their bearing on growth history and impurity distribution.*
- Lang A.R. (1967). Adv. X-ray Anal., **10**, 91-107. *Some recent applications of X-ray topography.*
- Lang A.R. & Miuscov V.F. (1967). J. Appl. Phys., **38**, 2477-2483. *Dislocations and fault surfaces in synthetic quartz.*
- Wild R.K., Evans T. & Lang A.R. (1967). Phil. Mag.. **15**, 267-279. *Birefringence, X-ray topography and electron microscope examination of the plastic deformation of diamond.*
- Brádler J. & Lang A.R. (1968). Acta Cryst. A. **24**, 246-247. *Use of the Ewald sphere in aligning crystal pairs to produce X-ray Moiré fringes.*
- Lang A.R. (1968). Nature. **220**, 652-657. *X-ray Moiré Topography of Lattice Defects in Quartz.*
- Lang A.R. (1968). Acta geol. geogr. Univ. comen.,Tchécosl., **14**, 75-85. *X-ray topographic techniques.*
- Polcarová M. & Lang A.R. (1968). Bull. Soc. Fr. Minér. Crist., **91**, 645-652. *Observation par topographie aux rayons X des domaines ferromagnétiques dans Fe-3%Si.*
- Emara S.H., Lawn B.R. & Lang A.R. (1969). Phil. Mag., **19**, 7-12. *Direct Observation of Dislocations in Potash Alum.*
- Lang A.R. & Miuscov V.F. (1969). in Growth of Crystals, Ed. N.N. Sheftal, Consultant Bureau, New York. 7, 112-123. *Defects in natural and synthetic quartz.*
- Lang A.R. & Reifsnider K. (1969). Appl. Phys. Lett., **15**, 258-260. *Rapid X-ray diffraction topography using a high-gain image intensifier.*
- Lang A.R. (1970). Nature. **226**, 345. *Diamond accumulation in the upper mantle.*
- Lang A.R. (1970). In Modern Diffraction and Imaging Techniques in Materials Science, North-Holland, Amsterdam. , 407-479. *Recent application of X-ray topography.*
- Komatsu H. & Lang A.R. (1971). Miner. Soc. Japan Spec. Pap. **1**, 35-41. *The growth condition of a natural diamond.*
- Lang A.R. (1971). J. Phys. E. **4**, 921-922. *A versatile electronic image intensification system for X-ray topography*
- Mardix S., Lang A.R. & Blech I.A. (1971). Phil. Mag., **24**, 683-693. *On giant screw dislocations in ZnS polytype crystals.*
- Polcarová M. & Lang A.R. (1971). Phys. Stat. Sol. (a). **4**, 491-499. *On the fine structure of X-ray topographic images of 90° ferromagnetic domain walls in Fe-Si.*
- Beswick D.M. & Lang A.R. (1972). Phil. Mag., **26**, 1057-1070. *Some X-ray topographic observations on natural fluorite.*
- Fiedler R. & Lang A.R. (1972). J. Mater. Sci., **7**, 531-542. *Dislocation generation at surfaces of tin single crystals.*
- Keerti S. & Lang A.R. (1972). J. Appl. Cryst., **5**, 72-78. *Crystal perfection and silver electromigration paths in alpha-quartz.*
- Lang A.R. (1972). Nature. **238**, 98-100. *Pressure and temperature gradients in ascending fluids and magmas.*
- Lang A.R. (1972). Z. Naturforsch. (a). **27**, 461-468. *On determining the sign of fault vectors by X-*

*ray topography.*

- Moore M. & Lang A.R. (1972). Phil. Mag., **25**, 219-227. *An X-ray topographic study of impurity platelet distribution and size in an inhomogeneous diamond.*
- Moore M. & Lang A.R. (1972). Phil. Mag., **26**, 1313-1325. *On the internal structure of diamonds of cubic Habit.*
- Duckett R.A. & Lang A.R. (1973). J. Cryst. Growth. **18**, 135-143. *The growth of nearly perfect hexamethylene-tetramine crystals from solution.*
- Frank F.C., Lang A.R. & Moore M. (1973). Nature. **246**, 143-144. *A note on Galimov's theory of cavitation as a mechanism for the synthesis of natural diamonds.*
- Lang A.R. (1973). In "Crystal Growth: An Introduction", ed. P. Hartman (North-Holland Publ. Co.). Part I, 444-512. *The properties and observation of dislocations.*
- Tanemura S. & Lang A.R. (1973). Z. Naturforsch. (a). **28** a, 668-676. *Spherical wave theory of Moiré fringes produced under conditions of Borrman transmission by two crystals separated by a gap.*
- Kiflawi I. & Lang A.R. (1974). Phil. Mag., **30**, 219-223. *Linearly polarized luminescence from linear defects in natural and synthetic s.*
- Lang A.R. (1974). J. Cryst. Growth. **23**, 151-153. *Space-filling by branching columnar single-crystal growth : an example from natural diamond.*
- Lang A.R. (1974). J. Cryst. Growth. **24**, 108-115. *Glimpses into the growth history of natural diamonds.*
- Lang A.R. (1974). Proc. Roy. Soc. A. **340**, 233-248. *On the growth-sectorial dependence of defects in natural diamonds.*
- Moore M. & Lang A.R. (1974). J. Cryst. Growth. **26**, 133-139. *On the origin of the rounded dodecahedral habit of natural diamond.*
- Moore M. & Lang A.R. (1974). Diamond Research London: Industrial diamond information bureau. 16-25. *Correlations between habit, ultraviolet transparency and birefringence features in South African microdiamonds.*
- Suzuki S. & Lang A.R. (1975). Phil. Mag., **32**, 1083-1088. *Oriented microscopic particles in natural diamonds.*
- Woods G.S. & Lang A.R. (1975). J. Cryst. Growth. **28**, 215-226. *Cathodoluminescence, optical absorption and X-ray topographic studies of synthetic diamonds.*
- Kiflawi I. & Lang A.R. (1976). Phil. Mag., **33**, 697-701. *On the correspondence between cathodoluminescence images and X-ray diffraction contrast images of individual dislocations in diamond.*
- Lang A.R. & Woods G.S. (1976). Ind. Diamond Rev., **36**, 96-103. *Fingerprinting diamonds by X-ray topography.*
- Siddons D.P. & Lang A.R. (1976). Ind. Diamond Rev., **36**, 441-445. *Photographic and television methods for recording ultraviolet transmission topographs of diamond.*
- Suzuki S. & Lang A.R. (1976). J. Appl. Cryst., **9**, 95-97. *A snare affecting the recording of disorder diffuse reflections of "spike" type.*
- Suzuki S. & Lang A.R. (1976). "Diamond Research 1976" ( Ascot: Industrial Diamond Information Bureau ), 39-47. *Internal structures of natural diamonds revealing mixed habit growth.*

- Suzuki S. & Lang A.R. (1976). J. Cryst. Growth. **34**, 29-37. *Occurrences of faceted re-entrants on rounded growth surfaces of natural diamonds.*
- Fowler P.H. & Lang A.R. (1977). Nature. **270**, 163-164. *Giant holes in micas.*
- Hanley P.L., Kiflawi L. & Lang A.R. (1977). Phil. Trans. Roy. Soc., London, A. **284**, 330-368. *On topographically identifiable sources of cathodoluminescence in natural diamonds.*
- Kiflawi I. & Lang A.R. (1977). Nature. **267**, 36-37. *Polarized infrared cathodoluminescence from platelet defects in natural diamonds.*
- Lang A.R. (1977). J. Cryst. Growth. **42**, 625-631. *Defects in natural diamonds: Recent observations by new methods.*
- Lang A.R. (1977). Phil. Mag., **36**, 495-500. *Comment on "Electron microscopy of "Giant" platelets on cube planes in diamond".*
- Lang A.R. & Makepiece A.P.W. (1977). J. Phys. E: Sci. Instrum. **10**, 1292-1296. *Imaging methods for infrared cathodoluminescence topography.*
- Moore M. & Lang A.R. (1977). J. Appl. Cryst., **10**, 422-425. *The use of integrals of the Airy diffraction profile in X-ray topography of "Spike" diffuse reflexions.*
- Suzuki S. & Lang A.R. (1977). J. Cryst. Soc. Jap., **19**, 207-214. *X-ray Bragg reflection, "Spike" reflection and ultraviolet absorption topographic studies of internal structures of natural diamonds revealing mixed-habit growth.*
- Lang A.R. (1977). Phil. Mag. **36**.495-500. *Comment on 'Electron Microscopy of 'Giant' platelets on cube planes in Diamond.*
- Lang A.R. (1978). In Diffraction and Imaging Techniques in Material Science. Eds. Amelinckx S., Gevers R., Remaut G. and J. van Landuyt, North Holland, Amsterdam, 715-756. *Techniques and interpretation in X-ray topography.*
- Lang A.R. (1979). "The Properties of Diamond" ed. J.E.Field, Acad. Press, Chap.14, *Internal structure of diamond*
- Lang A.R. & Mai Z-H. (1979). Proc. Roy. Soc. A. **368**, 313-329. *Pendellösung interference in the Braggreflexion of X-rays from a crystal surface.*
- Mardix S. & Lang A.R. (1979). Rev. Sci. Instr., **50**, 510-512. *Image reduction to sub-micrometre dimensions by asymmetric crystal reflection of X-rays.*
- Bardsley W., Hurle D.T.J., Hart M. & Lang A.R. (1980). J. Cryst. Growth. **49**, 612-630. *Structural and chemical inhomogeneities in germanium single crystals grown under conditions of constitutional supercooling.*
- Lang A.R. (1980). In Imaging processes and coherence in Physics. Proc. Of a workshop. Eds. M. Schlenker, M. Finj, J.P. Goedbauer, C. Malgrange, J.C. Vienot & R.H. Wade. Springer Lecture notes in Physics. Berlin. **112**, 533-544. *Cathodoluminescence topography.*
- Lang A.R. (1980). In Charaterization of Crystal Growth Defects by X-ray Methods, NATO ASI Series B, Physics, ed. B.K. Tanner & D.K. Bowen. **63**, 161-185. *Defect Visualisation: Individual Defects.*
- Lang A.R. (1980). In Charaterization of Crystal Growth Defects by X-ray Methods, NATO ASI Series B, Physics, ed. B.K. Tanner & D.K. Bowen. **63**, 320-332. *X-ray detectors.*
- Lang A.R. (1980). In Charaterization of Crystal Growth Defects by X-ray Methods, NATO ASI Series B, Physics, ed. B.K. Tanner & D.K. Bowen. **63**, 512-514. *Reciprocal lattice spike*

*topography.*

- Lang A.R. (1980). Phil. Mag. B. **41**, 689-698. *Polarized infrared cathodoluminescence from synthetic diamonds.*
- Mai Z-H. & Lang A.R. (1980). J. Appl. Cryst., **13**, 78-87. *Assessment of synchrotron electron-beam damage in diamond by optical, cathodoluminescence and X-ray topographic methods.*
- Mai Z-H., Mardix S. & Lang A.R. (1980). J. Appl. Cryst., **13**, 180-187. *A high resolution section topograph technique applicable to synchrotron radiation sources.*
- Adam R.G.C., Bielicki T.A. & Lang A.R. (1981). J. Mater. Sci. **16**, 2369-2380. *Correlation of electrostatic charging patterns with internal structures in diamond.*
- Bursill I.A., Hutchinson J.I., Sumida N. & Lang A.R. (1981). Nature (London). **292**, 518-520. *Measurement of diamond lattice displacement by platelet defects with electron microscope moiré patterns.*
- Sumida N. & Lang A.R. (1981). In Microscopy of semiconducting materials. Eds. E.G. Cullis & D.C. Joy. Institute of Physics Conf. Series. **60**, 319-324. *Cathodoluminescence and TEM studies of dislocation-rich natural diamonds.*
- Sumida N. & Lang A.R. (1981). Phil. Mag. A. **43**, 1277-1287. *Cathodoluminescence evidence of dislocation interactions in diamond.*
- Suzuki S. & Lang A.R. (1981). J. Luminescence. **26**, 47-52. *Emission from growth-sector boundaries; a new luminescence phenomenon.*
- Sumida N. & Lang A.R. (1982). J. Appl. Cryst., **15**, 266-274. *On 'spike' diffuse reflections in electron diffraction patterns of diamonds.*
- Sumida N. & Lang A.R. (1982). In Electron Microscopy and Analysis. 1981. Proc. Institute of Physics Electron Microscopy and Analysis Group Conference. 301-304. *'Spike' electron diffraction patterns from platelet-containing diamonds.*
- Herres N. & Lang A.R. (1983). J. Appl. Cryst., **16**, 47-56. *X-ray Topography of Natural Beryl using Synchrotron and Conventional Sources.*
- Jiang S.-S. & Lang A.R. (1983). Proc. Roy. Soc. A. **388**, 249-271. *Stacking Fault Contrast in X-ray Diffraction: a High Resolution Experimental Study.*
- Lang A.R. (1983). Phys. Stat. Sol. (a). **76**, 595-599. *The Correct Rules for Determining the Sign of Fault Vectors in X-ray Topography.*
- Lang A.R. (1983). Rev. Sci. Instr., **54**, 897-899. *Compact Device for X-ray Section Topography with Synchrotron Sources.*
- Lang A.R. & Walmsley J.C. (1983). Phys. and Chem. of Minerals. **9**, 6-8. *Apatite Inclusions in Natural Diamond Coat.*
- Lang A.R., Makepeace A.P.W., Moore M. & Machado W.G. (1983). J. Appl. Cryst., **16**, 113-125. *On the Variation of X-ray Diffraction Contrast with Wavelength: a Study with Synchrotron Radiation.*
- Pirouz P., Cockayne D.J.H., Sumida N., Hirsch P.B. & Lang A.R. (1983). Proc. Roy. Soc. London A. **386**, 241-249. *Dissociation of dislocations in diamond.*
- Walmsley J.C. & Lang A.R. (1983). J. Mater. Sci. Lett. **2**, 785-788. *Transmission electron microscopic observations of deformation and microtwinning in a synthetic diamond compact.*
- Lang A.R., Makepeace A.P.W., Zhao Q.L., Moore M. & Machado W.G. (1984). SRS Bulletin. **4**, 8-

14. *Synchrotron X-ray section topography (SST).*

- Krishna P., Jiang S-S. & Lang A.R. (1985). J. Cryst. Growth. **71**, 41-56. *An Optical and Topographic Study of Giant Screw Dislocations in Silicon Carbide.*
- Lang A.R., Kowalski G., Makepeace A.P.W. & Moore M. (1985). SRS Bulletin. 6, 9-15. *Absorption edge eclipsing: an aid to diffuse reflexion studies with white X-radiation.*
- Lang A.R., Kowalski G., Makepeace A.P.W. & Moore M. (1985). Phil. Mag. A. **52**, L1-L6. *Recording Diffuse X-ray Reflections with Continuous Synchrotron Radiation. An Application to Type Ia Diamond.*
- Walmsley J.C. & Lang A.R. (1985). Ultrahard Materials Technology. Ed. P. Daniel. (Ascot: De Beers Industrial Diamond Division). **3**, 11-21. *Transmission electron microscopy of syndite.*
- Kowalski G. & Lang A.R. (1986). J. Appl. Cryst., **19**, 224-228. *Developments in Computer Simulation of X-ray Diffraction Contrast Images of Stacking Faults.*
- Lang A.R., Kowalski G., Makepeace A.P.W. & Moore M. (1986). Phil. Mag., **B53**, L53-L58. *Direct Observation of Double-refraction of X-rays Undergoing Diffraction by a Perfect Crystal.*
- Lang A.R., Kowalski G., Makepeace A.P.W. & Moore M. (1986). Acta Cryst. A. **42**, 501-510. *Observations of Borrman-Lehmann interference patterns with synchrotron radiation.*
- Barry J.C., Bursill L.A., Hutchinson J.L., Lang A.R., Rackham G.M. & Sumida N. (1987). Phil. Trans. Roy. Soc. London A. **321**, 361-401. *On voidites: a high-resolution transmission electron microscopic study of faceted void-like defects in natural diamonds.*
- Jiang S.-S., Lang A.R. & Tanner B.K. (1987). Phil. Mag. A. **56**, 367-375. *The contrast of stacking faults in optical birefringence micrographs of diamond.*
- Lang A.R., Kowalski G., Makepeace A.P.W., Moore M. & Clackson S.G. (1987). J. Phys. D: Appl.Phys., **20**, 541-544. *Single-slit Diffraction Patterns of Subnanometre-wavelength Synchrotron Radiation.*
- Mardix S., Lang A.R., Kowalski G., Makepeace A.P.W. (1987). Phil. Mag. A. **56**, 251-261. *On Structure and Twist in ZnS Crystal Whiskers.*
- Walmsley J.C. & Lang A.R. (1987). In Electron Microscopy and Analysis 1987. Proc. Instit. Phys. Electron Microscopy and Analysis Group EMAG 87, **90**, 281-284. *Cathodoluminescence micrography of polycrystalline synthetic diamond.*
- Walmsley J.C. & Lang A.R. (1987). J. Mater. Sci. **22**, 4093-4102. *A transmission electron microscope study of a cubic boron nitride-based compact material with AlN and AlB<sub>2</sub> binder phases.*
- Walmsley J.C., Lang A.R., Rooney M.-L.T. & Welbourn C.M. (1987). Phil. Mag. Lett. **55**, 209-213. *Newly observed microscopic planar defects on (111) in natural diamond.*
- Sumida N. & Lang A.R. (1988). Proc. Roy. Soc. London A. **419**, 235-257. *On the measurement of population density and size of platelets in type Ia diamond and its implications for platelet structure models.*
- Walmsley J.C. & Lang A.R. (1988). In Ultrahard Materials Applications Technology. Ed. C. Barrett. **4**, 61-75. *Transmission electron microscope study of Syndax 3 compared with Syndite and Amborite.*
- Walmsley J.C. & Lang A.R. (1988). J. Mater. Sci. **23**, 1829-1834. *Characteristic of diamond regrowth in a synthetic diamond compact.*

- Kowalski G., Lang A.R., Makepeace A.P.W. & Moore M. (1989). J. Appl. Cryst., **22**, 410-430. *Studies of Stacking Fault Contrast by Synchrotron X-ray Section Topography.*
- Frank F.C., Lang A.R., Evans D.J.F., Rooney M-L.T., Spear P.M. & Welbourn C.M. (1990). J. Cryst. Growth. **100**, 354-376. *Orientation-dependent Nitrogen Incorporation on Vicinals on Synthetic Diamond Cube Growth Surfaces.*
- Lang A.R., Kowalski G. & Makepeace A.P.W. (1990). Acta Cryst. A. **46**, 215-227. *Borrmann-Lehmann Interference Patterns in Perfect and in Distorted Crystals.*
- Lang A.R. & Meaden G.M. (1991). J. Cryst. Growth. **108**, 53-62. *Complementary orientation-dependent distribution of 1.40 eV and 2.56 eV cathodoluminescence on vicinals on {111} in synthetic diamonds.*
- Lang A.R. & Moore M. (1991). In Proc. 2nd Int. Conf. on New Diamond Science & Technology (MRS), 683-694. *Cathodoluminescence and X-ray Topography of HPHT Diamonds.*
- Lang A.R. & Polcarová M. (1991). Phil. Mag. Lett.. **63**, 225-231. *X-ray Topographic Observations of Magnetic Domain Walls in (001) Plates of Nearly Perfect Iron-Silicon Alloy Single Crystals.*
- Lang A.R., Kowalski G., Makepeace A.P.W. & Moore M. (1991). Phil. Mag. A. **64**, 543-560. *On Long-range Lattice Perfection in Natural Type Ia Diamond.*
- A. R. Lang, International Tables for Crystallography, Vol. C (1992) Chap. 2.7, pp 113-136 (Dordrecht: Kluwer Academic Publishers). *X-ray Topography.*
- Lang A.R., Moore M., Makepeace A.P.W., Wierzchowski W. & Welbourn C.M. (1991). Phil. Trans. Roy. Soc. A. **337**, 497-520. *On the Dilation of Synthetic Type Ib Diamond by Substitutional Nitrogen Impurity.*
- Lang A.R., Moore M. & Walmsley J.C. (1992). in The Properties of Natural and Synthetic diamond, Ed. J.E. Field, Academic Press, London. , 213-258. *Diffraction and Imaging Studies of Diamond.*
- Walmsley J.C. & Lang A.R. (1992). J. Crystal Growth. **116**, 225-234. *Study of a platelet-free infilling of a crack in natural diamond: evidence for a late growth event.*
- Walmsley J.C. & Lang A.R. (1992). Mineral. Mag. **56**, 108-111. *Oriented biotite inclusions in diamond coat.*
- Walmsley J.C. & Lang A.R. (1992). Mineral. Mag. **56**, 533-543. *On sub-micrometre inclusions in diamond coat: crystallography and compositions of ankerites and related rhombohedral carbonates.*
- Walmsley J.C. & Lang A.R. (1992). Phil. Mag. Lett. **65**, 159-165. *Large <110> - segmented helical dislocations in natural diamond.*
- Frank F.C., Kaczer J., Lang A.R. & Polcarová M. (1993). Proc. Roy. Soc., London, A. **442**, 161-175. *On magnetic domain configuration in single-crystal, (112)-orientation plates in silicon-iron alloy: some X-ray topographic observations and their interpretation.*
- Kaneko K. & Lang A.R. (1993). Industrial Diamond Review. **53**, 334-337. *CL and optical microtopographic studies of Argyle diamonds.*
- Lang A.R. (1993). Diamond and Related Materials. **2**, 106-114. *Topographic methods for studying defects in diamonds.*
- Lang A.R. (1993). J. Phys. D: Appl. Phys., **26**, 223-2244. *Dilation, density and nitrogen content in type Ia diamonds: previous work and proposed experiments.*
- Lang A.R. (1993). J. Phys. D: Appl. Phys., **26**, A1-A8. *The Early Days of High Resolution X-ray Topography.*

- Frank F.C., Harris J.W., Kaneko K. & Lang A.R. (1994). *J. Cryst. Growth.*, **143**, 46-57. *Linear Decorations Defining Edges of an Internal Octahedron within a Natural Diamond: Observations and Explanation.*
- Lang A.R. (1994). *J. Appl. Cryst.*, **27**, 988-1001. *X-ray Topographic and Optical Imaging Studies of Synthetic Diamonds.*
- Lang A.R. (1994). *Industrial Diamond Review*. **54**, 141-146. *Penetrating diamonds with X-rays and a microscope.*
- Lang A.R. (1994). In *Properties and Growth of Diamond*, Ed. G. Davies, London: INSPEC, The Institution of Electrical Engineers., 111-115. *Effect of nitrogen on the lattice parameter of diamond.*
- Lang A.R. (1994). In *Properties and Growth of Diamond*, Ed. G. Davies, London: INSPEC, The Institution of Electrical Engineers, 106-110. *Lattice parameter determinations in diamond: an overview.*
- Lang A.R. (1994). In *Properties and Growth of Diamond*, Ed. G. Davies, London: INSPEC, The Institution of Electrical Engineers., 116-120. *Topographical studies of nitrogen in diamond.*
- Lang A.R. (1994). *Mineralogical Society Bulletin*. **104**, 3-6. *Some facets of diamond research.*
- Lang A.R., Makepeace A.P.W. & Moore M. (1994). *Miner. Mag.*, **58**, 87-95. *Lattice Perfection and Growth History of Doubly-terminated Natural Alpha Quartz Crystals.*
- Moore M., Lang A.R. & Wierzchowski W. (1994). *Acta Physica Polonica*, **86**, 613-616. *Stereoscopic observation of synthetic diamond with Haruta stereo-pairs of synchrotron transmission double-crystal topographs.*
- Burton N.C., Butler J.E., Lang A.R. & Steeds J.W. (1995). *Proc. Roy. Soc. Lond. A*, **449**, 555-566. *On a characteristic misorientation structure within (001) facets of CVD-grown diamond crystallites: an analysis by optical microtopography, interferometry, electron diffraction and cathodoluminescence.*
- Kaneko K. & Lang A.R. (1995). *Electron Microscopy and Analysis 1995*, Ed. D. Cherns. IOP Conference Series, **147**, 334-337. *A study of defects in Argyle coloured diamonds.*
- Lang A.R. (1995), Proceedings of the 2nd NIRIM International Symposium on Advanced Materials (ISAM '95). 253-260. *Lattice defects and inclusions in natural and synthetic diamond.*
- Lang A.R. (1995). *J. Appl. Cryst.*, **28**, 355-357. *The 'lattice parameter comparator': a symmetrical axially reversible mounting for two goniometer heads.*
- Lang A.R. (1995). *Z. Krist.*, **210**, 394-397. *Highlights in the history of X-ray topography.*
- Lang A.R. (1995). *J. Physics D: Applied Physics*. **28**, A1-A7. *Exploitation of n-beam dynamical effects in pseudo-Kossel diffraction patterns of nearly perfect crystals.*
- Lang A.R. & Pang G.G. (1995). *J. Appl. Cryst.*, **28**, 61-64. *A possible new route to precise lattice parameter measurement of perfect crystals.*
- Lang A.R., Vincent R., Burton N.C. & Makepeace A.P.W. (1995). *J. Appl. Cryst.*, **28**, 690-696. *Studies of small inclusions in synthetic diamonds by optical microscopy, microradiography and transmission electron microscopy.*
- Lang A.R. & Makepeace A.P.W. (1996). *J. Synchrotron Rad.*, **3**, 313-315. *Reticulography: a simple and sensitive technique for mapping misorientations in single crystals.*
- Lang A.R., Pang G. & Makepeace A.P.W. (1996). *J. Synchrotron Rad.*, **3**, 163-172. *Applications of*

*Synchrotron Radiation to Defect Characterization and Pendellösung Fringe-spacing Measurement in a Natural Diamond. Applications of Synchrotron*

- Lang A.R., Makepeace A.P.W., Martineau P.M. & Cooper M.A. (1997). Diamond and Related Materials. **6**, 1226-1230. *Combining optical microscopy, X-ray microradiography and X-ray topography in the study of individual CVD diamond crystallites.*
- Lang A.R. and Makepeace A.P.W. (1997). Inst. Phys. Conf. Ser. Eds A.G. Cullis & J.L. Hutchinson. **157**, 457-460. *Synchrotron X-ray reticulography: a versatile new technique for mapping misorientations in single crystals.*
- Cherns D., Kaneko K., Hovsepian A. & Lang A.R. (1997). Phil. Mag. A, **75**, 1553-1566. *Measurement of the lattice displacement across {100} platelets in diamond by large-angle convergent-beam electron diffraction.*
- Lang A.R. (1998). J. Appl. Cryst., **31**, 258-261. *On the Divergence of X-rays Diffracted by Perfect Stationary Crystals Illuminated with Collimated Polychromatic Radiation.*
- Lang A.R. (1998). Crystal Res. Technol., **33**, 613-624. *From Borrman to super-Borrman effect.*
- Lang A.R. & Pang G. (1998). Phil. Trans. Roy. Soc. London A. **356**, 1397-1419. *On the dilation of diamond by nitrogen impurity aggregated in A defects.*
- Lang A.R., Makepeace A.P.W. & Butler J.E. (1998). Diamond and Related Materials. **7**, 1698-1708. *Synchrotron X-ray microdiffraction measurements of lattice tilts within CVD diamond crystallites terminated by cathodoluminescent blue-cross-quartered cube facets.*
- Lang A.R. (1999). In International Tables of Crystallography, Ed. A.J.C. Wilson and E. Prince, Kluwer Academic Publishers, Dordrecht, Netherlands. **C**, 113-123. *Topography.*
- Lang A.R. & Makepeace A.P.W. (1999). J. Phys. D: Applied Physics. **32**, A97-A103. *Synchrotron X-ray Reticulography: principles and applications.*
- Lang A.R. & Makepeace A.P.W. (1999). J. Appl. Cryst., **32**, 1119-1126. *Synchrotron X-ray Reticulographic Measurement of Lattice Deformations Associated with Energetic Ion Implantation in Diamond.*
- Lang A.R. & Makepeace A.P.W. (1999). J. Phys. D: Applied Physics. **32**, A172-A178. *Studies in Synchrotron X-ray Microradiography: Observation of Biprism-type Interference.*
- Lang A.R. & Makepeace A.P.W. (1999). J. Synchrotron Rad. **6**, 59-61. *Production of Synchrotron X-ray Biprism Interference Patterns with Control of Fringe Spacing.*
- Lang A.R., Makepeace A.P.W., Alexander W.B., McCormick T., Pehrsson P.E. & Butler J.E. (1999). J. Cryst. Growth. **200**, 446-457. *Optical microscopic, synchrotron X-ray topographic and reticulographic study of homoepitaxial CVD diamond.*
- Lang A.R., Makepeace A.P.W. & Butler J.E. (1999). J. Appl. Cryst., **32**, 924-933. *Morphological and synchrotron X-ray microdiffraction studies of large columnar CVD diamond crystallites.*
- Lang A.R., Makepeace A.P.W. & Butler J.E. (1999). Diamond and Related Materials. **7**, 1698-1708. *Synchrotron X-ray microdiffraction measurements of lattice tilts within CVD diamond crystallites terminated by cathodoluminescent blue-cross-quartered cube facets.*
- Arridge R.G.C., Lang A.R. & Makepeace A.P.W. (2002). Proc. Roy. Soc. London A. **458**, 2485-2521. *Elastic deformation in a crystal plate where lattice-parameter mismatch is present between adjacent growth sectors. I. Anisotropic elasticity theory, with application to lattice-parameter measurements.*
- Arridge R.G.C., Lang A.R. & Makepeace A.P.W. (2002). Proc. Roy. Soc. London A. **458**, 2623-

2643. *Elastic deformation in a crystal plate where lattice-parameter mismatch is present between adjacent growth sectors. II. Measurement of lattice tilts by synchrotron X-ray reticulography.*

Lang A.R., Yelisseyev A.P., Pokhilenko N.P., Steeds J.W. & Wotherspoon A. (2004). *J. Crystal Growth.* **263**, 575-589. *Is dispersed nickel in natural diamonds associated with cuboid growth sectors in diamonds that exhibit a history of mixed-habit growth?*