

ROBIN JON HAWES CLARK

BIBLIOGRAPHY

Clark, R. J. H., Lewis, J., Nyholm, R. S., Pauling, P., & Robertson, G. B. (1961). Eight-co-ordinate diarsine complexes of quadrivalent metal halides. *Nature*, 192(4799), 222–223.
<https://doi.org/10.1038/192222a0>

Clark, R. J. H., Lewis, J., & Nyholm, R. S. (1962). 471. Diarsine complexes of quadrivalent-metal halides. *Journal of the Chemical Society (Resumed)*, 2460–2465.

Clark, R. J. H. (1963). 2,2'-Bipyridyl and o-Phenanthroline Complexes of Titanium(iv) and Vanadium(iv). *Journal of the Chemical Society (Resumed)*, 1371–1377.

Clark, R. J. H., Lewis, J., Machin, D. J., & Nyholm, R. S. (1963). Complexes of titanium trichloride. *Journal of the Chemical Society (Resumed)*, 379–387.

Clark, R. J. H., Kepert, D. L., Nyholm, R. S., & Lewis, J. (1963). Eight co-ordination in the early transition series. *Nature*, 199(4893), 559–562. <https://doi.org/10.1038/199559a0>

Clark, R. J. H., & Machin, D. J. (1963). Magnetic and Spectral Studies of Vanadium Tetrachloride. *Journal of the Chemical Society (Resumed)*, 4513–4521.

Clark, R. J. H. (1964). Diffuse-reflectance spectra of some anhydrous transitionmetal halides. *Journal of the Chemical Society (Resumed)*, 417–425.

Bennett, M. A., & Clark, R. J. H. (1964). Low-frequency infrared spectra of metal carbonyl halides and their derivatives. *Journal of the Chemical Society (Resumed)*, 5544–5552.

Eisenberg, R., Ibers, J. A., Clark, R. J. H., & Gray, H. B. (1964). Molecular and Electronic Structure of the Bis(maleonitriledithiolato)nickelate(II) Ion. *Journal of the American Chemical Society*, 86(1), 113–115. <https://doi.org/10.1021/ja01055a026>

Clark, R. J. H. (1964). The application of diffuse reflectance spectroscopy to inorganic chemistry. *Journal of Chemical Education*, 41(9), 488–492.

Shupack, S. I., Billig, E., Clark, R. J. H., Williams, R., & Gray, H. B. (1964). The Electronic Structures of Square-Planar Metal Complexes. V. Spectral Properties of the Maleonitriledithiolate Complexes of Nickel, Palladium, and Platinum. *Journal of the American Chemical Society*, 86(21), 4594–4602.
<https://doi.org/10.1021/ja01075a016>

Clark, R. J. H. (1965). 1054. Complexes of titanium, vanadium, and tin tetrahalides with the ligand o-phenylenebisdiethylarsine. *Journal of the Chemical Society (Resumed)*, 5699–5704.
<https://doi.org/10.1039/JR9650005699>

Clark, R. J. H., Kepert, D. L., Lewis, J., & Nyholm, R. S. (1965). 516. Eight co-ordinate complexes of niobium(IV). *Journal of the Chemical Society (Resumed)*, 2865–2871.
<https://doi.org/10.1039/JR9650002865>

Clark, R. J. H., Kepert, D. L., & Nyholm, R. S. (1965). 518. Seven co-ordinate complexes of niobium(V) and tantalum(V). *Journal of the Chemical Society (Resumed)*, 2877–2883.
<https://doi.org/10.1039/JR9650002877>

Clark, R. J. H. (1965). Metal-halogen stretching frequencies in inorganic complexes. *Spectrochimica Acta*, 21(5), 955–963.

Clark, R. J. H., & Williams, C. S. (1965). The far infra-red spectra of 2,2'-dipyridyl and 1,10-phenanthroline complexes of alkyl tin halides. *Spectrochimica Acta*, 21(11), 1861–1868.

- Clark, R. J. H., & Williams, C. S. (1965). The Far-Infrared Spectra of Metal-Halide Complexes of Pyridine and Related Ligands. *Inorganic Chemistry*, 4(3), 350–357. <https://doi.org/10.1021/ic50025a020>
- Clark, R. J. H., & Errington, W. (1966). Bidentate Sulfur-Donor Complexes of Quadrivalent Metal Halides. *Inorganic Chemistry*, 5(4), 650–656. <https://doi.org/10.1021/ic50038a032>
- Clark, R. J. H., Greenfield, M. L., & Nyholm, R. S. (1966). Complexes of the early transition-metal halides with tritertiary arsines. *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 1254–1259. <https://doi.org/10.1039/J19660001254>
- Clark, R. J. H., Negrotti, R. H. U., & Nyholm, R. S. (1966). Factors influencing the formation of eight-co-ordinate metal complexes: An eight-co-ordinate phosphine complex of titanium(IV). *Chemical Communications (London)*, (14), 486–487. <https://doi.org/10.1039/C19660000486>
- Clark, R. J. H., & Williams, C. S. (1966). Infrared and electronic spectral study of metal-ammonia complexes. *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 1425–1430. <https://doi.org/10.1039/J19660001425>
- Clark, R. J. H., & Williams, C. S. (1966). Infra-red spectra (3000-200 cm^{-1}) of metal-isothiocyanate complexes. *Spectrochimica Acta*, 22(6), 1081–1090.
- Cattrall, R. W., & Clark, R. J. H. (1966). Low frequency (200-700 CM^{-1}) spectra of manganese carbonyl derivatives of the type $\text{Mn}(\text{CO})_5\text{L}$. *Journal of Organometallic Chemistry*, 6(2), 167–172. [https://doi.org/10.1016/S0022-328X\(00\)93652-0](https://doi.org/10.1016/S0022-328X(00)93652-0)
- Clark, R. J. H., Kepert, D. L., Nyholm, R. S., & Rodley, G. A. (1966). Low-frequency infra-red studies (200-500 cm^{-1}) on complexes containing the $(\text{Mo}_6\text{Cl}_8)_4+$ and $(\text{W}_6\text{Cl}_8)_4+$ cores. *Spectrochimica Acta*, 22(10), 1697–1700.
- Clark, R. J. H., Errington, W., Lewis, J., & Nyholm, R. S. (1966). Reactions of a bidentate arsine with quadrivalent halides of group IV A. The separation of zirconium and hafnium. *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 989–990. <https://doi.org/10.1039/J19660000989>
- Cox, M., Clark, R. J. H., & Milledge, H. J. (1966). Structural studies on group IV metal acetylacetonates [21]. *Nature*, 212(5068), 1357. <https://doi.org/10.1038/2121357a0>
- Clark, R. J. H., Nyholm, R. S., & Scaife, D. E. (1966). Tetrahedral and octahedral complexes of vanadium(III). *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 1296–1302. <https://doi.org/10.1039/J19660001296>
- Bennett, M. A., Clark, R. J. H., & Goodwin, A. D. J. (1967). Electronic and Infrared Spectral Study of Chromium (III) Derivatives of The Type $[\text{Cr}(\text{NCS})_4(\text{Ligand})_2]^-$. *Inorganic Chemistry*, 6(9), 1625–1631. <https://doi.org/10.1021/ic50055a003>
- Clark, R. J. H., & Greenfield, M. L. (1967). Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III). *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 409–414. <https://doi.org/10.1039/J19670000409>
- Bennett, M. A., Clark, R. J. H., & Milner, D. L. (1967). Far-Infrared Spectra of Complexes of Rhodium And Iridium With π -Bonding Ligands. *Inorganic Chemistry*, 6(9), 1647–1652. <https://doi.org/10.1021/ic50055a008>

- Clark, R. J. H., & Errington, W. (1967). Fluoro-complexes of the Group IVA elements: Metal-halogen vibrational frequencies. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 258–261. <https://doi.org/10.1039/J19670000258>
- Clark, R. J. H., & Williams, C. S. (1967). Low frequency infra-red spectra of 2:2'-bipyridyl complexes of bivalent and trivalent transition metals. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 23(4), 1055–1059.
- Clark, R. J. H., & Taylor, F. B. (1967). Low-frequency infrared spectra of iron(III) halide complexes. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 693–694. <https://doi.org/10.1039/J19670000693>
- Clark, R. J. H., & Crociani, B. (1967). Solvent effects on the infrared spectra of chromium, Molybdenum and tungsten hexacarbonyls. *Inorganica Chimica Acta*, 1(C), 12–16.
- Clark, R. J. H., Nyholm, R. S., & Taylor, F. B. (1967). The magnetic susceptibility of some tetrahedral tetrahalogenoferrate(II) complexes. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 1802–1804. <https://doi.org/10.1039/J19670001802>
- Casey, A. T., & Clark, R. J. H. (1968). Electronic Spectra and Magnetism of Some Vanadium(III) Halogeno Complexes. *Inorganic Chemistry*, 7(8), 1598–1602. <https://doi.org/10.1021/ic50066a024>
- Clark, R. J. H., Maresca, L., & Puddephatt, R. J. (1968). Preparation and Vibrational Spectra of the MX₆²⁻ and MX₄Y₂²⁻ Ions (M = Ti or Sn; x = Cl, Br, or I). *Inorganic Chemistry*, 7(8), 1603–1606. <https://doi.org/10.1021/ic50066a025>
- Cattalini, L., Clark, R. J. H., Orio, A., & Poon, C. K. (1968). The infrared spectra (450-70 cm⁻¹) of square planar pyridine and substituted pyridine complexes of gold(III). *Inorganica Chimica Acta*, 2(C), 62–64.
- Clark, R. J. H., Davies, A. G., & Puddephatt, R. J. (1968). The infrared spectra (650-70 cm⁻¹) of alkyl tin halides and their adducts with 2,2'-bipyridyl and 1,10-phenanthroline. *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 1828–1834. <https://doi.org/10.1039/J19680001828>
- Horner, S. M., Clark, R. J. H., Crociani, B., Copley, D. B., Horner, W. W., Collier, F. N., & Tyree, S. Y. (1968). The Preparation and Spectral Properties of Some Hexahalo and Oxopentahalo Complexes of Niobium and Tantalum. *Inorganic Chemistry*, 7(9), 1859–1863. <https://doi.org/10.1021/ic50067a032>
- Bradford, C. W., Van Bronswyk, W., Clark, R. J. H., & Nyholm, R. S. (1968). The preparation and vibrational spectra of compounds of the type M(CO)₄(HgX)₂. *Journal of the Chemical Society A: Inorganic, Physical, Theoretical*, 2456–2463. <https://doi.org/10.1039/J19680002456>
- Clark, R. J. H., Davies, A. G., & Puddephatt, R. J. (1968). Vibrational Spectra and Structures of Organolead Compounds. I. Methyllead Halides. *Journal of the American Chemical Society*, 90(25), 6923–6927. <https://doi.org/10.1021/ja01027a005>
- Clark, R. J. H., & Crosse, B. C. (1969). Far infrared and Raman spectra of halogenometal pentacarbonyls. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 224–228. <https://doi.org/10.1039/J19690000224>
- Van Bronswyk, W., Clark, R. J. H., & Maresca, L. (1969). Infrared spectra, laser raman spectra, and force constants of the metal-hexahalo species R₂MIVX₆, RMVX₆ [R = (C₂H₅)₄N or Cs; MIV = Ti, Zr, or Hf; MV = Nb or Ta; X = Cl or Br], and WCl₆. *Inorganic Chemistry*, 8(7), 1395–1401. <https://doi.org/10.1021/ic50077a005>

Clark, R. J. H., Davies, A. G., Puddephatt, R. J., & McFarlane, W. (1969). Infrared, Raman, and Hydrogen⁻¹, Carbon⁻¹³, and Lead⁻²⁰⁷ Nuclear Magnetic Resonance Spectra of Hexamethyldilead. *Journal of the American Chemical Society*, 91(6), 1334–1339. <https://doi.org/10.1021/ja01034a013>

Casey, A. T., & Clark, R. J. H. (1969). Preparations, structures, electronic spectra, and magnetism of vanadium(III) alcoholates. *Inorganic Chemistry*, 8(6), 1216–1222. <https://doi.org/10.1021/ic50076a002>

Graziani, R., Bombieri, G., Volponi, L., Panattoni, C., & Clark, R. J. H. (1969). Structural investigations on rhodium(III) complexes. Part I. Crystal structure of trichlorobis-(o-methoxyphenyldimethylarsine)rhodium(III). *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 1236–1240. <https://doi.org/10.1039/J19690001236>

Clark, R. J. H., Davies, A. G., & Puddephatt, R. J. (1969). Vibrational spectra and structure of organolead compounds. II. Tetraphenyllead, hexaphenyldilead, triphenylleadhalides, and diphenyllead dihalides. *Inorganic Chemistry*, 8(3), 457–463. <https://doi.org/10.1021/ic50073a011>

Clark, R. J. H., & Natile, G. (1970). Five- and six- coordinate complexes of vanadium(III) and chromium(III) halides with dialkylsulfides and with quinuclidine. *Inorganica Chimica Acta*, 4(C), 533–541. [https://doi.org/10.1016/S0020-1693\(00\)93344-9](https://doi.org/10.1016/S0020-1693(00)93344-9)

Clark, R. J. H., & Goodwin, A. D. J. (1970). Infrared and laser Raman spectra of metal hexaisothiocyanate ions. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 26(2), 323–330. [https://doi.org/10.1016/0584-8539\(70\)80077-0](https://doi.org/10.1016/0584-8539(70)80077-0)

Clark, R. J. H., Natile, G., Belluco, U., Cattalini, L., & Filippin, C. (1970). Preparation and vibrational spectra of square-planar palladium(II) complexes of the type trans-PdX₂(SR₂)₂. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 659–663. <https://doi.org/10.1039/J19700000659>

Clark, R. J. H., Maresca, L., & Smith, P. J. (1970). Preparations, vibrational spectra, and Mössbauer spectra of tin(II) species of the types SnX₃- and SnX₂Y - (X, Y = Cl, Br, or I). *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 2687–2690. <https://doi.org/10.1039/J19700002687>

Bombieri, G., Graziani, R., Panattoni, C., Volponi, L., Clark, R. J. H., & Natile, G. (1970). Structural investigations on rhodium(III) complexes. Part II. Crystal structure of mer-trichlorobis-(o-dimethylaminophenyldimethylarsine)rhodium(III). *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 14–19. <https://doi.org/10.1039/J19700000014>

Bradford, C. W., Van Bronswijk, W., Clark, R. J. H., & Nyholm, R. S. (1970). Syntheses, structures, reactions, and vibrational spectra of complexes containing osmium-gold bonds: Trinuclear osmium and related complexes. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 2889–2899. <https://doi.org/10.1039/J19700002889>

Bennett, M. A., Clark, R. J. H., & Goodwin, A. D. J. (1970). Tertiary phosphine complexes of chromium(III). *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 541–544. <https://doi.org/10.1039/J19700000541>

Clark, R. J. H., & McAlees, A. J. (1970). The chemistry of methyltitanium trichloride. Synthesis, properties, infrared spectra, and variable temperature nuclear magnetic resonance spectra of adducts of methyltitanium trichloride with symmetrical bidentate ligands. *Journal of the Chemical*

Society A: Inorganic, Physical, and Theoretical Chemistry, 2026–2033.
<https://doi.org/10.1039/J19700002026>

Clark, R. J. H., Crociani, B., & Wassermann, A. (1970). The isolation and characterisation of strong proton acids derived from aluminium, iron, gallium, and indium trichlorides. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 2458–2460.
<https://doi.org/10.1039/J19700002458>

Baldwin, D. A., & Clark, R. J. H. (1971). Aniline and o-allylaniline complexes of titanium tetrachloride and titanium tetrabromide. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 1725–1727. <https://doi.org/10.1039/J19710001725>

Clark, R. J. H., & Coles, M. (1971). Binuclear anionic derivatives of methyltitanium trichloride. *Journal of the Chemical Society D: Chemical Communications*, (24), 1587–1588.
<https://doi.org/10.1039/C29710001587>

Clark, R. J. H., & Willis, C. J. (1971). Raman Intensity Measurements on Group IV Tetrahalides. *Inorganic Chemistry*, 10(6), 1118–1126. <https://doi.org/10.1021/ic50100a003>

Clark, R. J. H., & Hunter, B. K. (1971). Raman spectra and factor-group analyses of crystalline group IV tetrachlorides. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 2999–3006. <https://doi.org/10.1039/J19710002999>

Clark, R. J. H., Hunter, B. K., & Willis, C. J. (1971). Raman spectrum and factor group analysis of crystalline titanium tetrachloride. *Journal of the Chemical Society D: Chemical Communications*, (4), 201–202. <https://doi.org/10.1039/C2971000201>

Clark, R. J. H., & Hunter, B. K. (1971). Raman spectrum, electronic spectrum and values for various thermodynamic functions of lead tetrachloride. *Journal of Molecular Structure*, 9(3), 354–356.
[https://doi.org/10.1016/0022-2860\(71\)85054-8](https://doi.org/10.1016/0022-2860(71)85054-8)

Clark, R. J. H., & Willis, C. J. (1971). Raman, infrared, and electronic spectra of titanium tetraiodide. *Journal of the Chemical Society A: Inorganic, Physical, and Theoretical Chemistry*, 838–840.
<https://doi.org/10.1039/J19710000838>

Clark, R. J. H., & Rippon, D. M. (1971). Vapour-phase Raman spectra of Group IVB tetrahalides. *Journal of the Chemical Society D: Chemical Communications*, (20), 1295–1296.
<https://doi.org/10.1039/C29710001295>

Clark, R. J. H., & Coles, M. A. (1972). Mono- and bi-nuclear anionic derivatives of methyltitanium trichloride and methyltitanium tribromide and related complexes. *Journal of the Chemical Society, Dalton Transactions*, (22), 2454–2463. <https://doi.org/10.1039/DT9720002454>

Clark, R. J. H., & Mitchell, P. D. (1972). Raman Intensity Measurements on and Boron-Halogen Bond Polarizability Derivatives for the Boron Trihalides. *Inorganic Chemistry*, 11(6), 1439–1441.
<https://doi.org/10.1021/ic50112a060>

Clark, R. J. H., & Mitchell, P. D. (1972). Raman spectra and factor group analyses of crystalline boron trihalides. *The Journal of Chemical Physics*, 56(5), 2225–2232. <https://doi.org/10.1063/1.1677524>

Clark, R. J. H., Hunter, B. K., & Mitchell, P. D. (1972). Raman spectrum of vanadium tetrachloride. Intensity measurements. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 68, 476–480. <https://doi.org/10.1039/F29726800476>

Clark, R. J. H., & McAlees, A. J. (1972). The Chemistry of Methyltitanium Trichloride. II. Variable-Temperature Nuclear Magnetic Resonance and Infrared Spectra of Some Complexes of Methyltitanium Trichloride and of Titanium Tetrachloride with Unsymmetrical Bidentate Ligands. *Inorganic Chemistry*, 11(2), 342–348. <https://doi.org/10.1021/ic50108a028>

Clark, R. J. H., & McAlees, A. J. (1972). The chemistry of methyltitanium trichloride. Part III. Oxidation of six-coordinate complexes of methyltitanium trichloride. Variable temperature nuclear magnetic resonance and infrared spectra of complexes of methoxytitanium trichloride with bidentate ligands. *Journal of the Chemical Society, Dalton Transactions*, (5), 640–645. <https://doi.org/10.1039/DT9720000640>

Clark, R. J. H., & Mitchell, P. D. (1972). The Raman spectra of the vanadium oxytrihalides in the vapour, dissolved, and solid states, and of the mixed oxytrihalides. *Journal of the Chemical Society, Dalton Transactions*, (22), 2429–2433. <https://doi.org/10.1039/DT9720002429>

Clark, R. J. H., & Rippon, D. M. (1972). The vapor-phase Raman spectra, Raman band contour analyses, Coriolis constants, and force constants of spherical-top molecules MX₄ (M = Group IV element, X = F, Cl, Br, or I). *Journal of Molecular Spectroscopy*, 44(3), 479–503. [https://doi.org/10.1016/0022-2852\(72\)90259-7](https://doi.org/10.1016/0022-2852(72)90259-7)

van Bronswyk, W., & Clark, R. J. H. (1972). The vibrational spectrum of the molecule Os₄O₄(CO)₁₂. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 28(7), 1429–1433. [https://doi.org/10.1016/0584-8539\(72\)80112-0](https://doi.org/10.1016/0584-8539(72)80112-0)

Clark, R. J. H., Hunter, B. K., & Rippon, D. M. (1972). Vapor-Phase Raman Spectra, Force Constants, and Values for Thermodynamic Functions of the Tetrachlorides, Tetrabromides, and Tetraiodides of Titanium, Zirconium, and Hafnium. *Inorganic Chemistry*, 11(1), 56–61. <https://doi.org/10.1021/ic50107a013>

Clark, R. J. H., & Mitchell, P. D. (1973). Resonance Raman and Preresonance Raman Spectra of Titanium Tetraiodide. *Journal of the American Chemical Society*, 95(25), 8300–8304. <https://doi.org/10.1021/ja00806a016>

Clark, R. J. H., & Mitchell, P. D. (1973). Resonance Raman spectrum of tin tetraiodide. *Journal of the Chemical Society, Chemical Communications*, (19), 762–763. <https://doi.org/10.1039/C39730000762>

Braunstein, P., & Clark, R. J. H. (1973). The preparation, properties, and vibrational spectra of complexes containing the AuCl₂⁻, AuBr₂⁻, and AuI₂⁻ ions. *Journal of the Chemical Society, Dalton Transactions*, (17), 1845–1848. <https://doi.org/10.1039/DT9730001845>

Bosworth, Y. M., Clark, R. J. H., & Rippon, D. M. (1973). The vapor phase Raman spectra, Raman band contour analyses, and Coriolis constants of the spherical top molecules MF₆ (M = S, Se, Te, Mo, W, or U), M(CH₃)₄ (M = C, Si, Ge, Sn, or Pb), P₄, As₄ and OsO₄. *Journal of Molecular Spectroscopy*, 46(2), 240–255. [https://doi.org/10.1016/0022-2852\(73\)90040-4](https://doi.org/10.1016/0022-2852(73)90040-4)

Clark, R. J. H., & Rippon, D. M. (1973). Vapour phase Raman spectra of mercury(II) chloride, mercury(II) bromide and mercury(II) iodide. ν₁(σ_g⁺) band contours and the mercury-halogen bond polarisability derivatives. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 69, 1496–1501. <https://doi.org/10.1039/F29736901496>

Bosworth, Y. M., & Clark, R. J. H. (1974). Intensity studies on the Raman-active fundamentals of hexahalogeno-anions of second- and third-row transition and non-transition metals. The calculation

of parallel and perpendicular bond polarisability derivatives. *Journal of the Chemical Society, Dalton Transactions*, (16), 1749–1761. <https://doi.org/10.1039/DT9740001749>

Clark, R. J. H., & Kaminaris, D. (1974). Pentafluorothiophenol derivatives of some early transition metals. *Inorganica Chimica Acta*, 11(C), L7–L8. [https://doi.org/10.1016/S0020-1693\(00\)93670-3](https://doi.org/10.1016/S0020-1693(00)93670-3)

Clark, R. J. H., & Mitchell, P. D. (1974). Preresonance Raman intensity studies on the fundamentals of the group IV tetrahalides. *Journal of Molecular Spectroscopy*, 51(3), 458–474. [https://doi.org/10.1016/0022-2852\(74\)90201-X](https://doi.org/10.1016/0022-2852(74)90201-X)

Clark, R. J. H., & Coles, M. A. (1974). Reactions of various organotitanium compounds with potentially bidentate alkenyloxo- and related ligands. *Journal of the Chemical Society, Dalton Transactions*, (14), 1462–1467. <https://doi.org/10.1039/DT9740001462>

Clark, R. J. H., & Mitchell, P. D. (1974). Resonance Raman spectroscopic study of titanium tetraiodide in different organic solvents: Spectroscopic constants and half-band widths for the ν_1 (a_1) vibration. *Journal of Raman Spectroscopy*, 2(4), 399–405. <https://doi.org/10.1002/jrs.1250020411>

Clark, R. J. H., & Franks, M. L. (1974). Resonance Raman spectrum of K_4MoCl_8 . *Journal of the Chemical Society, Chemical Communications*, (9), 316–317. <https://doi.org/10.1039/C39740000316>

Bosworth, Y. M., & Clark, R. J. H. (1974). Resonance Raman spectrum of the complex $[(C_2H_5)_4N]AuBr_4$. *Chemical Physics Letters*, 28(4), 611–613. [https://doi.org/10.1016/0009-2614\(74\)80119-3](https://doi.org/10.1016/0009-2614(74)80119-3)

Braunstein, P., & Clark, R. J. H. (1974). Synthesis and Properties of Arylgold(III) Compounds. *Inorganic Chemistry*, 13(9), 2224–2229. <https://doi.org/10.1021/ic50139a032>

Clark, R. J. H., & Rippon, D. M. (1974). The vapor phase Raman spectra, Raman band contour analyses, Coriolis constants, force constants, and values for thermodynamic functions of the trihalides of group V. *Journal of Molecular Spectroscopy*, 52(1), 58–71. [https://doi.org/10.1016/0022-2852\(74\)90005-8](https://doi.org/10.1016/0022-2852(74)90005-8)

Clark, R. J. H., & Rippon, D. M. (1974). The vapour phase raman spectra, raman band contour analyses, coriolis constants, force constants, and values for thermodynamic functions of the symmetric top molecules POF_3 , $POCl_3$, VOF_3 , $VOCl_3$, $PSCl_3$ and $FCIO_3$. *Molecular Physics*, 28(2), 305–319. <https://doi.org/10.1080/00268977400102871>

Sportouch, S., Clark, R. J. H., & Gaufrès, R. (1974). Vapour phase Raman and infrared spectra of, and vibrational assignments for sulphuryl fluoride; application of the trace scattering method for the assignment of totally symmetric vibrations. *Journal of Raman Spectroscopy*, 2(2), 153–162. <https://doi.org/10.1002/jrs.1250020206>

Clark, R. J. H., & Stockwell, J. A. (1975). Complexes of Group VI hexacarbonyls with Group V ligands containing an olefinic side-chain. *Journal of the Chemical Society, Dalton Transactions*, (6), 468–474. <https://doi.org/10.1039/DT9750000468>

Clark, R. J. H., & Trumble, W. R. (1975). Erratum: Resonance raman spectrum of the mixed-valence compound Cs_2SbCl_6 (*J.C.S. Chem. Comm.* (1975), (318)). *Journal of the Chemical Society, Chemical Communications*, (14). <https://doi.org/10.1039/C39750000588f>

Bosworth, Y. M., & Clark, R. J. H. (1975). intensity Studies on the Raman-Active Fundamentals of Some Square-Planar (MX_4n -) Ions and of the ICl_2^- Ion. Calculation of Parallel and Perpendicular Bond

Polarizability Derivatives and Bond Anisotropies. *Inorganic Chemistry*, 14(1), 170–177.
<https://doi.org/10.1021/ic50143a037>

Bosworth, Y. M., & Clark, R. J. H. (1975). Resonance Raman and electronic spectra of different salts of the $[\text{AuBr}_4]$ -ion. *Journal of the Chemical Society, Dalton Transactions*, (5), 381–385.
<https://doi.org/10.1039/DT9750000381>

Clark, R. J. H., & Franks, M. L. (1975). Resonance Raman and Electronic Spectra of Various Salts of the $\text{Mo}_2\text{Cl}_8^{4-}$ Ion. *Journal of the American Chemical Society*, 97(10), 2691–2697.
<https://doi.org/10.1021/ja00843a018>

Bosworth, Y. M., Clark, R. J. H., & Turtle, P. C. (1975). Resonance Raman excitation profiles of the tetrakisothiocyanatocobaltate(II) ion. *Journal of the Chemical Society, Dalton Transactions*, (20), 2027–2031. <https://doi.org/10.1039/DT9750002027>

Clark, R. J. H., & Trumble, W. R. (1975). Resonance Raman spectrum of the mixed-valence compound Cs_2SbCl_6 . *Journal of the Chemical Society, Chemical Communications*, (9), 318–319.
<https://doi.org/10.1039/C39750000318>

Clark, R. J. H., & Franks, M. L. (1975). The resonance Raman spectrum of ultramarine blue. *Chemical Physics Letters*, 34(1), 69–72. [https://doi.org/10.1016/0009-2614\(75\)80202-8](https://doi.org/10.1016/0009-2614(75)80202-8)

Clark, R. J. H., & Ellestad, O. H. (1975). The vapor phase Raman spectra, Raman band contour analyses, Coriolis coupling constants, and e-species force constants of the molecules SPF_3 , FCCl_3 , and BrCCl_3 . *Journal of Molecular Spectroscopy*, 56(3), 386–398. [https://doi.org/10.1016/0022-2852\(75\)90126-5](https://doi.org/10.1016/0022-2852(75)90126-5)

Clark, R. J. H., & Ellestad, O. H. (1975). The vapour phase raman spectra, Raman band contour analyses, coriolis coupling constants, and e-species force constants for the molecules HCF_3 , C_1CF_3 , BrCF_3 , and ICF_3 . *Molecular Physics*, 30(6), 1899–1911. <https://doi.org/10.1080/00268977500103371>

Clark, R. J. H., & Mitchell, P. D. (1975). Vapour phase Raman intensity studies on the group IV tetrachlorides. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 71, 515–524. <https://doi.org/10.1039/F29757100515>

Clark, R. J. H., Stockwell, J. A., & Wilkins, J. D. (1976). Insertion and related reactions of bis(η -cyclopentadienyl)dimethyltitanium, η -cyclopentadienyltrimethyltitanium, and trichloro(η -cyclopentadienyl)titanium and other titanium compounds. *Journal of the Chemical Society, Dalton Transactions*, (2), 120–125. <https://doi.org/10.1039/DT9760000120>

Clark, R. J. H., & Duarte, M. L. (1976). Intensity studies on the Raman-active fundamentals of hexahalogeno-anions of antimony(V) and tellurium(IV); the calculation of parallel and perpendicular bond-polarisability derivatives and Raman-band excitation profiles of the hexabromotellurate(IV) ion. *Journal of the Chemical Society, Dalton Transactions*, (20), 2081–2087.
<https://doi.org/10.1039/DT9760002081>

Clark, R. J. H., Franks, M. L., & Trumble, W. R. (1976). Resonance Raman spectra and excitation profiles of the mixed valence compound wolffram's red $[\text{PtII}(\text{C}_2\text{H}_5\text{NH}_2)_4][\text{PtIV}(\text{C}_2\text{H}_5\text{NH}_2)_4\text{Cl}_2]\text{Cl}_4 \cdot 4\text{H}_2\text{O}$. *Chemical Physics Letters*, 41(2), 287–292.
[https://doi.org/10.1016/0009-2614\(76\)80812-3](https://doi.org/10.1016/0009-2614(76)80812-3)

- Clark, R. J. H., & Franks, M. L. (1976). Resonance Raman spectra of chlorotetra-acetato- and chlorotetrabutyrato-diruthenium. *Journal of the Chemical Society, Dalton Transactions*, (18), 1825–1828. <https://doi.org/10.1039/DT9760001825>
- Clark, R. J. H., & Trumble, W. R. (1976). Resonance Raman spectra of some mixed-valence halogeno-compounds of antimony and lead. *Journal of the Chemical Society, Dalton Transactions*, (12), 1145–1149. <https://doi.org/10.1039/DT9760001145>
- Clark, R. J. H., & Franks, M. L. (1976). Resonance Raman Spectra of Tetra(n-butylammonium) Salts of the Octachlorodirhenate(III) and Octabromodirhenate(III) Ions. *Journal of the American Chemical Society*, 98(10), 2763–2767. <https://doi.org/10.1021/ja00426a015>
- Clark, R. J. H., & Trumble, W. R. (1976). Resonance Raman Spectra of the Mixed-Valence Compounds $\text{Pd}_2(\text{NH}_3)_4\text{Cl}_6$ and $\text{PdPt}(\text{NH}_3)_4\text{Cl}_6$. *Inorganic Chemistry*, 15(5), 1030–1035. <https://doi.org/10.1021/ic50159a009>
- Clark, R. J. H., & Turtle, P. C. (1976). Resonance Raman spectrum of the tetrabromoferrate(III) ion. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 72, 1885–1891. <https://doi.org/10.1039/F29767201885>
- Clark, R. J., Ellestad, O. H., & Escibano, R. (1976). The vapour phase raman spectra, raman band contour analyses, coriolis coupling constants, and force constants for the molecules F_{12}CH_3 , F_{13}CH_3 , $\text{H}_{12}\text{CC}_{13}$ and $\text{H}_{13}\text{CC}_{13}$. *Molecular Physics*, 31(1), 65–81. <https://doi.org/10.1080/00268977600100061>
- Armstrong, R. S., & Clark, R. J. H. (1976). Vapour phase Raman spectra of the molecules MH_4 ($\text{M} = \text{C}, \text{Si}, \text{Ge}$ or Sn) and MF_4 ($\text{M} = \text{C}, \text{Si}$ or Ge). Raman band intensities, bond polarisability derivatives and bond anisotropies. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 72, 11–21. <https://doi.org/10.1039/F29767200011>
- Clark, R. J. H., & Turtle, P. C. (1977). Electronic Raman effect in the hexachloroiridate(IV) ion. *Chemical Physics Letters*, 51(2), 265–268. [https://doi.org/10.1016/0009-2614\(77\)80399-0](https://doi.org/10.1016/0009-2614(77)80399-0)
- Clark, R. J. H., & Franks, M. L. (1977). Electronic spectra, resonance-Raman spectra, and excitation profiles of the mixed-valence compound Reihlen's green $[\text{PtII}(\text{C}_2\text{H}_5\text{NH}_2)_4][\text{PtIVBr}_2(\text{C}_2\text{H}_5\text{NH}_2)_4]\text{Br}_4 \cdot 4\text{H}_2\text{O}$. *Journal of the Chemical Society, Dalton Transactions*, (2), 198–203. <https://doi.org/10.1039/DT9770000198>
- Clark, R. J. H., & Turtle, P. C. (1977). Electronic-absorption, Raman, and resonance-Raman spectroscopy of square-planar bis(tetraethylammonium) bis(maleonitriledithiolato)-nickelate(II), -palladate(II), and -platinate(II). *Journal of the Chemical Society, Dalton Transactions*, (21), 2142–2148. <https://doi.org/10.1039/DT9770002142>
- Casey, A. T., & Clark, R. J. H. (1977). Preparations and properties of vanadium(III) complexes of bidentate and terdentate nitrogen-donor ligands. *Transition Metal Chemistry*, 2(1), 76–80. <https://doi.org/10.1007/BF01402689>
- Clark, R. J. H., & Duarte, M. L. (1977). Raman, resonance-Raman, and electronic spectra of tetraethylammonium hexabromoantimonate(V) and of tetra-n-butylammonium hexabromoantimonate(V). *Journal of the Chemical Society, Dalton Transactions*, (8), 790–793. <https://doi.org/10.1039/DT9770000790>

- Clark, R. J. H., Turtle, P. C., Strommen, D. P., Streusand, B., Kincaid, J., & Nakamoto, K. (1977). Resonance Raman Spectra and Excitation Profiles of Tris(α -diimine) Complexes of Iron(II). *Inorganic Chemistry*, 16(1), 84–89. <https://doi.org/10.1021/ic50167a020>
- Afiz, M. R., Clark, R. J. H., & D'Urso, N. R. (1977). Vapour-phase Raman spectra of chromium, molybdenum, and tungsten hexacarbonyls. *Journal of the Chemical Society, Dalton Transactions*, (3), 250–254. <https://doi.org/10.1039/DT9770000250>
- Clark, R., & Stephens, P. J. (1977). VIBRATIONAL OPTICAL ACTIVITY. *Optical Polarimetry* \$- \$ Instrum and Appl, 112, 127–131.
- Clark, R. J. H., Franks, M. L., & Turtle, P. C. (1977). Vibrational Spectra, Resonance Raman Spectra, and Electronic Spectra of the μ -Oxo-decachlorodiruthenium(IV) Ion. *Journal of the American Chemical Society*, 99(8), 2473–2480. <https://doi.org/10.1021/ja00450a012>
- Clark, R. J. H., & Cobbold, D. G. (1978). Characterization of Sulfur Radical Anions in Solutions of Alkali Polysulfides in Dimethylformamide and Hexamethylphosphoramide and in the Solid State in Ultramarine Blue, Green, and Red. *Inorganic Chemistry*, 17(11), 3169–3174. <https://doi.org/10.1021/ic50189a042>
- Clark, R. J. H., & Turtle, P. C. (1978). Electronic and Resonance Raman Spectra of One-Dimensional Mixed-Valence Platinum-Ethylamine Complexes at Ca. 80 K. *Inorganic Chemistry*, 17(9), 2526–2531. <https://doi.org/10.1021/ic50187a038>
- Clark, R. J. H., & D'Urso, N. R. (1978). Electronic and Resonance Raman Spectra of the $[\text{Mo}_2\text{Br}_8]^{4-}$ Ion. *Journal of the American Chemical Society*, 100(10), 3088–3091. <https://doi.org/10.1021/ja00478a022>
- Clark, R. J. H., & Turtle, P. C. (1978). Electronic and resonance-Raman spectra of mixed-valence ammine complexes of palladium and platinum. *Journal of the Chemical Society, Dalton Transactions*, (12), 1622–1627. <https://doi.org/10.1039/DT9780001622>
- Campbell, J. R., Clark, R. J. H., & Turtle, P. C. (1978). Electronic Spectra and Resonance Raman Spectra of Mixed-Valence Linear-Chain Complexes of Platinum with 1,2-Diaminoethane. *Inorganic Chemistry*, 17(12), 3622–3628. <https://doi.org/10.1021/ic50190a057>
- Muller, M., Clark, R. J. H., & Nyholm, R. S. (1978). New pentafluorothiophenoxo derivatives of tin, lead, antimony, bismuth, gold and platinum. *Transition Metal Chemistry*, 3(1), 369–377. <https://doi.org/10.1007/BF01393594>
- Campbell, J. R., & Clark, R. J. H. (1978). Resonance raman, infra-red, and electronic spectral studies of the μ -oxo-decachlorodimetallate species, $[\text{Ru}_2\text{OC}_{110}]^{4-}$ and $[\text{Re}_2\text{OC}_{110}]^{3-}$, and related ions. *Molecular Physics*, 36(4), 1133–1148. <https://doi.org/10.1080/00268977800102231>
- Clark, R. J. H., & Turtle, P. C. (1978). Resonance-Raman spectroscopy of tris(1,2-dithiolene) complexes of vanadium, molybdenum, and tungsten. *Journal of the Chemical Society, Dalton Transactions*, (12), 1714–1721. <https://doi.org/10.1039/DT9780001714>
- Clark, R. J. H. (1978). SPECTROSCOPIC AND STRUCTURAL STUDIES OF MIXED-VALENCE LINEAR-CHAIN TRANSITION-METAL COMPOUNDS. *Annals of the New York Academy of Sciences*, 313(1), 672–685. <https://doi.org/10.1111/j.1749-6632.1978.tb39454.x>
- Clark, R. J. H., & Turtle, P. C. (1978). Studies on vibrational and electronic Raman effects. Resonance Raman spectroscopy of $[\text{IrCl}_6]^{2-}$, $[\text{IrBr}_6]^{2-}$ and $[\text{OsBr}_6]^{2-}$ ions. *Journal of the Chemical Society*,

Faraday Transactions 2: Molecular and Chemical Physics, 74, 2063–2076.
<https://doi.org/10.1039/F29787402063>

Clark, R. J. H., & D'Urso, N. R. (1978). Vapour-phase intensity studies of the Raman-active bands of Group 6 hexafluorides. *Journal of the Chemical Society, Dalton Transactions*, (2), 170–173.
<https://doi.org/10.1039/DT9780000170>

Clark, R. J. H. (1979). RESONANCE RAMAN SPECTROSCOPY AS A PROBE OF THE MIXED-VALENCE STATE OF LINEAR-CHAIN COMPLEXES. MCIC Report (Metals and Ceramics Information Center), 385–392.

Dawson, J. H., Dooley, D. M., Clark, R., Stephens, P. J., & Gray, H. B. (1979). Spectroscopic Studies of Ceruloplasmin. Electronic Structures of the Copper Sites. *Journal of the American Chemical Society*, 101(17), 5046–5053. <https://doi.org/10.1021/ja00511a040>

Clark, R. J. H., & Dines, T. J. (1979). The resonance Raman spectrum of titanium tetrabromide. *Chemical Physics Letters*, 64(3), 499–502. [https://doi.org/10.1016/0009-2614\(79\)80231-6](https://doi.org/10.1016/0009-2614(79)80231-6)

Campbell, J. R., Clark, R. J. H., Clore, G. M., & Lane, A. N. (1980). Characterization of the electronic properties and geometric environment of the iron atom in the “myoglobin hydrogen-peroxide” Complex by solet-excited resonance raman spectroscopy. *Inorganica Chimica Acta*, 46(C), 77–84.
[https://doi.org/10.1016/S0020-1693\(00\)84172-9](https://doi.org/10.1016/S0020-1693(00)84172-9)

Clark, R. J. H., & Kurmoo, M. (1980). Electronic and Resonance Raman Spectra of Mixed-Valence Linear-Chain Complexes of Platinum with 1,3-Diaminopropane. *Inorganic Chemistry*, 19(11), 3522–3527. <https://doi.org/10.1021/ic50213a063>

Clark, R. J. H., Kurmoo, M., Buse, K. D., & Keller, H. J. (1980). Electronic and Resonance Raman Spectra of the Linear Chain Mixed Valence Compound $\text{Pt}(\text{NH}_3)_2(\text{SCN})_2$. *Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences*, 35(10), 1272–1273.
<https://doi.org/10.1515/znb-1980-1020>

Clark, R. J. H., Kurmoo, M., Keller, H. J., Keppler, B., & Traeger, U. (1980). Electronic and resonance-Raman spectra of the linear-chain mixed-valence platinum complexes $\{[\text{Pt}(\text{en})_2][\text{Pt}(\text{en})_2\text{X}_2]\}_3[\text{CuX}_4]_4$ [X = Cl (1) or Br (2)] and $[\text{Pt}(\text{pn})_2][\text{Pt}(\text{pn})\text{Br}_2][\text{Cu}_3\text{Br}_5]_2(3)$ (en = ethane-1,2-diamine and pn = propane-1,2-diamine). *Journal of the Chemical Society, Dalton Transactions*, (12), 2498–2502.
<https://doi.org/10.1039/DT9800002498>

Clark, R. J. H., D'Urso, N. R., & Zagalsky, P. F. (1980). Excitation Profiles, Absorption and Resonance Raman Spectra of the Carotenoprotein Ovorubin, and a Resonance Raman Study of Some Other Astaxanthin Proteins. *Journal of the American Chemical Society*, 102(22), 6693–6698.
<https://doi.org/10.1021/ja00542a006>

Clark, R. J. H., & Dines, T. J. (1980). Raman and Resonance Raman Spectroscopic Studies on the Tetraiodides of Carbon, Silicon, Germanium, and Tin Using Visible and Ultraviolet Exciting Lines. *Inorganic Chemistry*, 19(6), 1681–1686. <https://doi.org/10.1021/ic50208a049>

Cardoso, A. M., Clark, R. J. H., & Moorhouse, S. (1980). Reactions of trimethylsilylcyclopentadiene derivatives with titanium, niobium, and tantalum halides. *Journal of the Chemical Society, Dalton Transactions*, (7), 1156–1160. <https://doi.org/10.1039/DT9800001156>

Clark, R. J. H., Cobbold, D. G., & Stewart, B. (1980). Resonance raman excitation profiles for the totally symmetric mode of the permanganate ion. *Chemical Physics Letters*, 69(3), 488–490. [https://doi.org/10.1016/0009-2614\(80\)85110-4](https://doi.org/10.1016/0009-2614(80)85110-4)

Campbell, J. R., Clark, R. J. H., Griffith, W. P., & Hall, J. P. (1980). Resonance Raman spectra of the polynuclear complexes ruthenium red, ruthenium brown, and the related 1,2-diaminoethane substituted complexes. *Journal of the Chemical Society, Dalton Transactions*, (11), 2228–2236. <https://doi.org/10.1039/DT9800002228>

Campbell, J. R., Clark, R. J. H., & Dilworth, J. R. (1980). Resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{\text{Cl}(\text{PMe}_2\text{Ph})_4\text{Re}(\text{N}_2)\}_2\text{MoCl}_4]$. *Journal of the Chemical Society, Chemical Communications*, (16), 772–773. <https://doi.org/10.1039/c39800000772>

Clark, R. J. H., & Kurmoo, M. (1980). Resonance Raman spectrum of the mixed-valence anion-bridged complex $\text{Cs}_2[\text{Pt}(\text{NO}_2)(\text{NH}_3)\text{Br}_2][\text{Pt}(\text{NO}_2)(\text{NH}_3)\text{Br}_4]$. *Journal of the Chemical Society, Chemical Communications*, (24), 1258–1259. <https://doi.org/10.1039/c39800001258>

Campbell, J. R., & Clark, R. J. H. (1980). Resonance Raman, infrared and electronic spectral studies of the μ -Oxo-decahalogenodimetallate species $[\text{Ru}_2\text{OCl}_{10}]^{4-}$, $[\text{Re}_2\text{OCl}_{10}]^{3-}$, $[\text{Os}_2\text{OCl}_{10}]^{4-}$, $[\text{Re}_2\text{OCl}_{10}]^{4-}$, $[\text{W}_2\text{OCl}_{10}]^{4-}$ and $[\text{W}_2\text{OBr}_{10}]^{4-}$. *Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics*, 76, 1103–1118. <https://doi.org/10.1039/F29807601103>

M. Cardoso, A., Clark, R. J. H., & Moorhouse, S. (1980). Syntheses of early transition-metal complexes containing metalsilicon bonds. *Journal of Organometallic Chemistry*, 186(2), 241–245. [https://doi.org/10.1016/S0022-328X\(00\)89871-X](https://doi.org/10.1016/S0022-328X(00)89871-X)

M. Cardoso, A., Clark, R. J. H., & Moorhouse, S. (1980). Synthesis of monocyclopentadienyltricarbonyl-niobium (and-tantalum) dichlorides. *Journal of Organometallic Chemistry*, 186(2), 237–240. [https://doi.org/10.1016/S0022-328X\(00\)89870-8](https://doi.org/10.1016/S0022-328X(00)89870-8)

Clark, R. J. H. (1980). The application of resonance raman spectroscopy to the study of the vibrational and electronic properties of inorganic species. *Journal of Molecular Structure*, 59(C), 137–145. [https://doi.org/10.1016/0022-2860\(80\)85070-8](https://doi.org/10.1016/0022-2860(80)85070-8)

Clark, R. J. H., Kurmoo, M., Galas, A. M. R., & Hursthouse, M. B. (1981). Crystal Structure and Electronic, Infrared, Raman, and Resonance Raman Spectra of the Mixed-Valence, Halogen-Bridged, Anion-Chain Complexes $\text{Cs}_2[\text{PtII}(\text{NO}_2)(\text{NH}_3)\text{X}_2][\text{PtIV}(\text{NO}_2)(\text{NH}_3)\text{X}_4]$, X = Br or I. *Inorganic Chemistry*, 20(12), 4206–4212. <https://doi.org/10.1021/ic50226a035>

Clark, R. J. H., & Kurmoo, M. (1981). Electronic and vibrational studies of mixed-valence complexes. The resonance raman spectra of the bromine-bridged platinum complexes $[\text{Pt}(\text{LL})_2][\text{Pt}(\text{LL})_2\text{Br}_2] \text{Br}_4$, where L L = 1,2-diaminoethane, -propane, -butane, and -pentane. *Inorganica Chimica Acta*, 51(C), 85–92. [https://doi.org/10.1016/S0020-1693\(00\)88322-X](https://doi.org/10.1016/S0020-1693(00)88322-X)

Clark, R. J. H., & Kurmoo, M. (1981). Electronic, infrared, and resonance-Raman spectra of mixed-valence iodide-bridged linear-chain complexes of platinum. *Journal of the Chemical Society, Dalton Transactions*, (2), 524–528. <https://doi.org/10.1039/DT9810000524>

Clark, R. J. H., & Stead, M. J. (1981). Electronic, infrared, and resonance-Raman spectroscopic study of pyridine complexes of ruthenium-(II) and -(III). *Journal of the Chemical Society, Dalton Transactions*, (8), 1760–1767. <https://doi.org/10.1039/DT9810001760>

Clark, R. J. H., & Dines, T. J. (1982). Raman, Resonance Raman, and Infrared Spectroscopic Study of Silver(I) Chromate. *Inorganic Chemistry*, 21(10), 3585–3588. <https://doi.org/10.1021/ic00140a002>

Clark, R. J. H., Dines, T. J., & Ferris, L. T. H. (1982). Resonance Raman spectroscopic studies on the Group 6B polyatomic cations S_4^{2+} , Se_4^{2+} , and Te_4^{2+} ; Journal of the Chemical Society, Dalton Transactions, (11), 2237–2242. <https://doi.org/10.1039/DT9820002237>

Clark, R. J. H., & Dines, T. J. (1982). Resonance Raman spectrum of the permanganate ion in different host lattices. Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics, 78(4), 723–728. <https://doi.org/10.1039/F29827800723>

Clark, R. J. H., & Dines, T. J. (1982). Resonance Raman studies on $[\text{FeCl}_4]^-$ and $[\text{FeBr}_4]^-$. Chemical Physics, 70(3), 269–273. [https://doi.org/10.1016/0301-0104\(82\)88095-6](https://doi.org/10.1016/0301-0104(82)88095-6)

Clark, R. J. H., & Dines, T. J. (1982). Theory of the resonance electronic raman effect. Molecular Physics, 45(6), 1153–1162. <https://doi.org/10.1080/00268978200100891>

Clark, R. J. H., & Kurmoo, M. (1983). Electronic, infrared, and resonance-Raman spectra of linear-chain mixed-valence complexes of platinum with 1,2-diaminopropane. Journal of the Chemical Society, Dalton Transactions, (4), 761–766. <https://doi.org/10.1039/DT9830000761>

Clark, R. J. H., Dines, T. J., & Proud, G. P. (1983). Electronic, resonance-Raman, and infrared spectroscopic studies of the thiometalate complexes $[\text{NEt}_4]_2[\text{M}(\text{PhS})_2\text{FeS}_2\text{MS}_2]$, $\text{M} = \text{Mo}$ or W . Journal of the Chemical Society, Dalton Transactions, (10), 2299–2302. <https://doi.org/10.1039/DT9830002299>

Clark, R. J. H., & Kurmoo, M. (1983). Excitation wavenumber dependence of the symmetric chain-stretching mode of linear-chain mixed-valence platinum complexes. Journal of the Chemical Society, Faraday Transactions 2: Molecular and Chemical Physics, 79(4), 519–527. <https://doi.org/10.1039/F29837900519>

Clark, R. J. H., Dines, T. J., & Kurmoo, M. (1983). On the Nature of the Sulfur Chromophores in Ultramarine Blue, Green, Violet, and Pink and of the Selenium Chromophore in Ultramarine Selenium: Characterization of Radical Anions by Electronic and Resonance Raman Spectroscopy and the Determination of Their Excited-State Geometries. Inorganic Chemistry, 22(19), 2766–2772. <https://doi.org/10.1021/ic00161a024>

Zagalsky, P. F., Clark, R. J. H., & Fairclough, D. P. (1983). Resonance Raman and circular dichroism studies of the copepod (*Anomalocera patersoni*) and siphonophore (*Porpita* sp.) astaxanthin-proteins with an identical absorption maximum at 650 nm. Comparative Biochemistry and Physiology -- Part B: Biochemistry And, 75(1), 169–170. [https://doi.org/10.1016/0305-0491\(83\)90056-1](https://doi.org/10.1016/0305-0491(83)90056-1)

Clark, R. J. H., & Stead, M. J. (1983). Resonance Raman and Electronic Spectral Study of the Octafluoro-, Octachloro-, Octabromo-, and Octaiododirhenate(III) Ions. Resonance Raman Spectra and Excitation Profiles at Resonance with the $\delta^* \leftarrow \delta$, $\delta^* \leftarrow (\text{X})\pi$, and Putative $\pi^* \leftarrow \pi$ Bands. Inorganic Chemistry, 22(8), 1214–1220. <https://doi.org/10.1021/ic00150a015>

Campbell, J. R., Clark, R. J. H., & Stead, M. J. (1983). Structure and bonding in linear-bridged species: electronic, Raman, and resonance Raman spectra of the trinuclear dinitrogen-bridged complex $[\{\text{Cl}(\text{PMe}_2)_2\text{Ph}\}_4\text{Re}(\text{N})_2]$

MoCl_4 . Journal of the Chemical Society, Dalton Transactions, (9), 2005–2010. <https://doi.org/10.1039/DT9830002005>

Clark, R. J. H., Dines, T. J., & Proud, G. P. (1983). Studies of the electronic properties of the tetrathiotungstate(VI) ion, $[\text{WS}_4]^{2-}$, by low-temperature absorption and resonance Raman spectroscopy. Journal of the Chemical Society, Dalton Transactions, (9), 2019–2024. <https://doi.org/10.1039/DT9830002019>

Zagalsky, P. F., Gilchrist, B. M., Clark, R. J. H., & Fairclough, D. P. (1983). The canthaxanthin-lipovitellin of *Branchipus stagnalis* (L.) (Crustacea:Anostraca): a resonance Raman and circular dichroism study. Comparative Biochemistry and Physiology -- Part B: Biochemistry And, 75(1), 163–167. [https://doi.org/10.1016/0305-0491\(83\)90055-X](https://doi.org/10.1016/0305-0491(83)90055-X)

Zagalsky, P. F., Gilchrist, B. M., Clark, R. J. H., & Fairclough, D. P. (1983). The canthaxanthin-lipovitellin of the brine shrimp, *Artemia* (Crustacea:Anostraca): A resonance Raman and circular dichroism study. Comparative Biochemistry and Physiology -- Part B: Biochemistry And, 74(3), 647–652. [https://doi.org/10.1016/0305-0491\(83\)90244-4](https://doi.org/10.1016/0305-0491(83)90244-4)

Davies, A. G., Luszytk, E., Luszytk, J., Marti, V. P. J., Clark, R. J. H., & Stead, M. J. (1983). The photolysis of pentamethylcyclopentadiene: Experiments with isotopically labelled material. Journal of the Chemical Society, Perkin Transactions 2, (5), 669–674.

Clark, R. J. H., & Dines, T. J. (1983). The resonance raman spectrum of hexakis(dimethylamido)tungsten(VI). Inorganica Chimica Acta, 70(C), 35–40. [https://doi.org/10.1016/S0020-1693\(00\)82774-7](https://doi.org/10.1016/S0020-1693(00)82774-7)

Clark, R. J. H., Kurmoo, M., Galas, A. M. R., & Hursthouse, M. B. (1983). The synthesis, X-ray crystal structure, and electronic and vibrational characterisation of the mixed-valence, iodine-bridged complex $[\text{Pt}^{II}(\text{dien})\text{I}^{IV}(\text{dien})\text{I}_3]$. Journal of the Chemical Society, Dalton Transactions, (8), 1583–1586. <https://doi.org/10.1039/DT9830001583>

Clark, R. J. H., Croud, V. B., & Kurmoo, M. (1984). Linear-Chain Halogen-Bridged Mixed-Valence Complexes of Palladium: Infrared, Electronic, Raman, and Resonance Raman Study. Inorganic Chemistry, 23(16), 2499–2504. <https://doi.org/10.1021/ic00184a025>

R. Burns, G., & Clark, R. J. H. (1984). Photochromic bisdithizonato mercury(II): resonance raman spectroscopy of the orange and blue forms. Inorganica Chimica Acta, 88(1), 83–88. [https://doi.org/10.1016/S0020-1693\(00\)81876-9](https://doi.org/10.1016/S0020-1693(00)81876-9)

Clark, R. J. H., & Stead, M. J. (1984). Raman spectroscopy of the $[\text{TeX}_6]^{2-}$ ions (X Cl or Br) at resonance with their lowest $3T_{1u}$ and $1T_{1u}$ states: Evidence for tetragonal distortion in these excited states. Chemical Physics, 91(1), 113–118. [https://doi.org/10.1016/0301-0104\(84\)80047-6](https://doi.org/10.1016/0301-0104(84)80047-6)

Clark, R. J. H., & Dines, T. J. (1984). Resonance raman spectroscopy of $[\text{RuCl}_6]^{2-}$ and $[\text{RuBr}_6]^{2-}$ —studies of the vibrational and electronic raman effect. Molecular Physics, 52(4), 859–870. <https://doi.org/10.1080/00268978400101611>

Clark, R. J. H. (1984). Spectroscopic aspects of sulfur chemistry: Electronic and resonance raman spectroscopy of sulfur containing complexes, ions and radicals. Studies in Inorganic Chemistry, 5(C), 221–234. <https://doi.org/10.1016/B978-0-444-42355-9.50016-5>

Clark, R. J. H. (1984). The classification of mixed-valence complexes as deduced by resonance Raman spectroscopy. *Journal of Molecular Structure*, 113(C), 117–126. [https://doi.org/10.1016/0022-2860\(84\)80137-4](https://doi.org/10.1016/0022-2860(84)80137-4)

Fürholz, U., Bürgi, H.-B., Wagner, F. E., Stebler, A., Ammeter, J. H., Krausz, E., ... Ludi, A. (1984). The Creutz-Taube Complex Revisited. *Journal of the American Chemical Society*, 106(1), 121–123. <https://doi.org/10.1021/ja00313a025>

Clark, R. J. H. (1984). Tilden Lecture. The chemistry and spectroscopy of mixed-valence complexes. *The Royal Society of Chemistry London*, 13(3), 219–244. <https://doi.org/10.1039/CS9841300219>

Best, S. P., Bloodworth, A. J., Clark, R. J. H., & Eggelte, H. J. (1985). Detection of H₂, H_d, and D₂ by Raman Spectroscopy: A Powerful Aid for the Elucidation of Reaction Mechanisms. *Journal of the American Chemical Society*, 107(9), 2626–2628. <https://doi.org/10.1021/ja00295a011>

Clark, R. J. H., Hempleman, A. J., Dawes, H. M., Hursthouse, M. B., & Flint, C. D. (1985). Dirhodium(II,II) tetra-acetate complexes with axially co-ordinated triphenylstibine, triphenylarsine, and dibenzyl sulphide ligands. The syntheses, properties, and X-ray crystal structures of [Rh₂(O₂CMe)₄(SbPh₃)₂], [Rh₂(O₂CMe)₄(AsPh₃)₂], and... *Journal of the Chemical Society, Dalton Transactions*, (9), 1775–1780. <https://doi.org/10.1039/DT9850001775>

Clark, R. J. H., & Croud, V. B. (1985). Mixed-Valence Palladium(II)/Platinum(IV) Chain Complexes. Infrared, Electronic, Raman, and Resonance Raman Studies. *Inorganic Chemistry*, 24(4), 588–592. <https://doi.org/10.1021/ic00198a031>

Clark, R. J. H., Croud, V. B., & Kurmoo, M. (1985). Palladium(II,IV) mixed-valence complexes of 1,2-diaminoethane, 1,3-diaminopropane, and diethylenetriamine: Syntheses, electronic, infrared, Raman, and resonance Raman spectra and X-ray studies. *Journal of the Chemical Society, Dalton Transactions*, (4), 815–820. <https://doi.org/10.1039/DT9850000815>

Clark, R. J. H., Dines, T. J., & Doherty, J. M. (1985). Resonance Raman Spectroscopy of the Manganate(VI) Ion: Band Excitation Profiles and Excited-State Geometry. *Inorganic Chemistry*, 24(13), 2088–2091. <https://doi.org/10.1021/ic00207a025>

Kurmoo, M., & Clark, R. J. H. (1985). Spectroscopic Studies on Linear-Chain Semiconductors and Related Species. Vibrational and Resonance Raman Spectroscopy of the Diphosphite Complexes K₄[Pt₂(pop)₄].2H₂O, K₄[Pt₂(pop)₄X₂].2H₂O, and K₄[Pt₂(pop)₄X].nH₂O, X = Cl, Br, I. *Inorganic Chemistry*, 24(25), 4420–4425. <https://doi.org/10.1021/ic00219a045>

Ian Buckley, R., & Clark, R. J. H. (1985). Structural and electronic properties of some polymolybdates reducible to molybdenum blues. *Coordination Chemistry Reviews*, 65(C), 167–218. [https://doi.org/10.1016/0010-8545\(85\)85025-6](https://doi.org/10.1016/0010-8545(85)85025-6)

Clark, R. J. H., & Kurmoo, M. (1985). Synthesis, spectroscopy, and structure of the mixed-valence complexes
[Pt^{II}(en)₂][Pt^{IV}(en)₂X]
& [Pt^{III}(en)₂(H₂O)₂][Pt^{IV}(en)₂X]
& [Pt^{III}(en)₂(H₂O)₂][Pt^{IV}(en)₂X] (en = 1,2-diaminoethane, X = Br or I). *Journal of the Chemical Society, Dalton Transactions*, (3), 579–585. <https://doi.org/10.1039/DT9850000579>

Best, S. P., & Clark, R. J. H. (1985). The identification of an electronic raman transition for the hexa-aquavanadium(III) ion. A direct spectroscopic determination of the trigonal field splitting of the 3T_{1g} ground term. *Journal of Electroanalytical Chemistry*, 122(4), 401–405.

Best, S. P., & Clark, R. J. H. (1985). The identification of an electronic Raman transition for the hexa-aquavanadium(III) ion. A direct spectroscopic determination of the trigonal field splitting of the 3T_{1g} ground term. *Chemical Physics Letters*, 122(4), 401–405. [https://doi.org/10.1016/0009-2614\(85\)80245-1](https://doi.org/10.1016/0009-2614(85)80245-1)

Clark, R. J. H., Tocher, J. H., Fackler Jr., J. P., Neira, R., Murray, H. H., & Knackel, H. (1986). A vibrational study by Raman spectroscopy of some dinuclear gold ylide complexes. *Journal of Organometallic Chemistry*, 303(3), 437–442. [https://doi.org/10.1016/0022-328X\(86\)82046-0](https://doi.org/10.1016/0022-328X(86)82046-0)

Clark, R. J. H., Kurmoo, M., Dawes, H. M., & Hursthouse, M. B. (1986). Binuclear Platinum Diphosphite Complexes: X-ray Crystal Structures of K₄[Pt₂(pop)₄Cl] 3H₂O and K₄[Pt₂(pop)₄Br₂] 2H₂O (pop = P₂O₅H₂). *Inorganic Chemistry*, 25(4), 409–412. <https://doi.org/10.1021/ic00224a006>

Hempleman, A. J., Flint, C. D., & Clark, R. J. H. (1986). Differentiation between Metal—Metal Stretching and Ligand-Sensitive Vibrations in Dimetal Tetraacetates by Ligand Deuteration. *Inorganic Chemistry*, 25(16), 2915–2916. <https://doi.org/10.1021/ic00236a055>

Clark, R. J. H., & Croud, V. B. (1986). Excitation line dependence of the symmetric chain-stretching mode of linear-chain, mixed-valence palladium complexes. *Journal of Physics C: Solid State Physics*, 19(18), 3467–3474. <https://doi.org/10.1088/0022-3719/19/18/018>

Clark, R. J. H., & Croud, V. B. (1986). Mixed-Valence Nickel(II)/Platinum(IV) Chain Complexes. Electronic, Infrared, Raman, and Resonance Raman Studies. *Inorganic Chemistry*, 25(11), 1751–1756. <https://doi.org/10.1021/ic00231a006>

Burns, G. R., & Clark, R. J. H. (1986). Pressure dependence of the Raman spectrum of crystalline tetraphosphorus triselenide. *Journal of Physics and Chemistry of Solids*, 47(11), 1049–1055. [https://doi.org/10.1016/0022-3697\(86\)90071-5](https://doi.org/10.1016/0022-3697(86)90071-5)

Burns, G. R., Rollo, J. R., & Clark, R. J. H. (1986). Raman and Resonance Raman Studies of Tetraphosphorus Triselenide. *Inorganic Chemistry*, 25(8), 1145–1149. <https://doi.org/10.1021/ic00228a017>

Clark, R. J. H., Joss, S., Zvagulis, M., Garner, C. D., & Nicholson, J. R. (1986). Raman, resonance Raman, and infrared spectroscopic study of complexes containing copper(I)-tetrathio-molybdate(VI) and -tungstate(VI) anions. *Journal of the Chemical Society, Dalton Transactions*, (8), 1595–1601. <https://doi.org/10.1039/DT9860001595>

Clark, R. J. H., Dines, T. J., & Sinclair, T. J. (1986). Resonance raman spectroscopic study of 2,4,6-Trinitrotoluene and its adduct with the SO_3^{2-} ion. *The Analyst*, 111(4), 411–413. <https://doi.org/10.1039/AN9861100411>

Clark, R. J. H., & Dines, T. J. (1986). Resonance Raman Spectroscopy, and Its Application to Inorganic Chemistry. *New Analytical Methods* (27). *Angewandte Chemie International Edition in English*, 25(2), 131–158. <https://doi.org/10.1002/anie.198601311>

Clark, R. J. H., Hempleman, A. J., & Flint, C. D. (1986). Rhodium-Rhodium Stretching Frequencies in $\text{Rh}_2(\text{O}_2\text{CCH}_3)_4(\text{PPh}_3)_2$. *Journal of the American Chemical Society*, 108(3), 518–520. <https://doi.org/10.1021/ja00263a034>

Clark, R. J. H., Croud, V. B., Dawes, H. M., & Hursthouse, M. B. (1986). The methylamine analogues of Wolfram's red and Reihlen's green: Syntheses, infrared, electronic, Raman, and resonance-Raman spectroscopy, and X-ray crystal structures of chain chlorine- and bromine-bridged platinum(II,IV) complexes of methylamine. *Journal of the Chemical Society, Dalton Transactions*, (2), 403–410. <https://doi.org/10.1039/DT9860000403>

Fanizzi, F. P., Natile, G., Lanfranchi, M., Tiripicchio, A., Clark, R. J. H., & Kurmoo, M. (1986). The syntheses, structures, and electronic and resonance-Raman spectroscopy of halogen-bridged platinum(II,IV) chain complexes involving equatorially co-ordinated terdentate amines: X-ray crystal structure of $[\text{Pt}^{\text{II}}(\text{Me-dien})\text{I}][\text{Pt}^{\text{IV}}(\text{Me-dien})\text{I}_3]$, and spectroscopy of... *Journal of the Chemical Society, Dalton Transactions*, (2), 273–278. <https://doi.org/10.1039/DT9860000273>

Clark, R. J. H., Joss, S., & Taylor, M. J. (1986). Vibrational spectra of tropylium tetrahaloborates $[\text{C}_7\text{H}_7]^+ [\text{BX}_4]^-$ (X Br or I). *Spectrochimica Acta Part A: Molecular Spectroscopy*, 42(8), 927–928. [https://doi.org/10.1016/0584-8539\(86\)80212-4](https://doi.org/10.1016/0584-8539(86)80212-4)

Armstrong, R. S., Aroney, M. J., & Clark, R. J. H. (1987). Bond polarizability anisotropy: Resolution of the sign ambiguity. *Journal of Raman Spectroscopy*, 18(2), 141–143. <https://doi.org/10.1002/jrs.1250180215>

Clark, R. J. H., Flint, C. D., & Hempleman, A. J. (1987). F.t.i.r. and Raman spectra of triphenylphosphine, triphenylarsine, triphenylstibine, and dibenzylsulphide. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 43(6), 805–816. [https://doi.org/10.1016/0584-8539\(87\)80223-4](https://doi.org/10.1016/0584-8539(87)80223-4)

Best, S. P., Clark, R. J. H., McQueen, R. C. S., & Cooney, R. P. (1987). Infrared reflection absorption spectro-electrochemical cell for the in situ study of redox-active species at variable temperature. *Review of Scientific Instruments*, 58(11), 2071–2074. <https://doi.org/10.1063/1.1139465>

Clark, R. J. H., Croud, V. B., & Khokhar, A. R. (1987). Neutral Chain Chloride- and Bromide-Bridged Platinum (II,IV) Complexes of 1,2-Diaminocyclohexane: Synthesis and Electronic, Infrared, Raman, and Resonance Raman Studies. *Inorganic Chemistry*, 26(20), 3284–3290. <https://doi.org/10.1021/ic00267a014>

Clark, R. J. H., & Walton, J. R. (1987). Raman and resonance-Raman studies of platinum group tetrathiomolybdates and tetrathiotungstates. *Journal of the Chemical Society, Dalton Transactions*, (6), 1535–1544. <https://doi.org/10.1039/DT9870001535>

Conradson, S. D., Dallinger, R. F., Swanson, B. I., Clark, R. J. H., & Croud, V. B. (1987). Resonance Raman study of the ν_1 band structure of $[\text{Pt}(\text{en})_2][\text{Pt}(\text{en})_2\text{Br}_2](\text{ClO}_4)_4$. *Chemical Physics Letters*, 135(4–5), 463–467. [https://doi.org/10.1016/0009-2614\(87\)85191-6](https://doi.org/10.1016/0009-2614(87)85191-6)

Clark, R. J. H., & Walton, J. R. (1987). Vibrational study of dithioacetate complexes of nickel, palladium and platinum. *Inorganica Chimica Acta*, 129(2), 163–171. [https://doi.org/10.1016/S0020-1693\(00\)86659-1](https://doi.org/10.1016/S0020-1693(00)86659-1)

Clark, R. J. H., & Hempleman, A. J. (1988). Infrared resonance-Raman and excitation profile studies of $[\text{Os}_2(\text{O}_2\text{CCH}_2\text{Cl})_4\text{Cl}_2]$, $[\text{Os}_2(\text{O}_2\text{CC}_2\text{H}_5)_4\text{Cl}_2]$, and $[\text{Os}_2(\text{O}_2\text{CC}_3\text{H}_7)_4\text{Cl}_2]$ Assignment of osmium-osmium, osmium-oxygen, and osmium-chlorine stretching vibrations. *Journal of the Chemical Society, Dalton Transactions*, (10), 2601–2606. <https://doi.org/10.1039/DT9880002601>

Best, S. P., Clark, R. J. H., & Cooney, R. P. (1988). Infrared spectroscopic studies of aqueous solutions of dioxouranium(VI) and its hydrolysed products and of in situ electro-generated dioxouranium(V). *Inorganica Chimica Acta*, 145(1), 141–147. [https://doi.org/10.1016/S0020-1693\(00\)82021-6](https://doi.org/10.1016/S0020-1693(00)82021-6)

Clark, R. J. H., Hempleman, A. J., & Kurmoo, M. (1988). Infrared, Raman, and resonance-Raman spectra of $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_4]$ and $[\text{Mo}_2(\text{O}_2\text{CCD}_3)_4]$. *Journal of the Chemical Society, Dalton Transactions*, (4), 973–981. <https://doi.org/10.1039/DT9880000973>

Clark, R. J. H., & Hempleman, A. J. (1988). Infrared, Raman, Resonance Raman, and Excitation Profile Studies of $\text{Rh}_2(\text{O}_2\text{CCH}_3)_4(\text{PPh}_3)_2$ and Its ^{18}O and CD_3 Isotopomers. *Inorganic Chemistry*, 27(13), 2225–2229. <https://doi.org/10.1021/ic00286a005>

Clark, R. J. H., Hempleman, A. J., & Tocher, D. A. (1988). Infrared, Resonance Raman, and Excitation Profile Studies of $\text{Os}_2(\text{O}_2\text{CCH}_3)_4\text{Cl}_2$ and $\text{Os}_2(\text{O}_2\text{CCD}_3)_4\text{Cl}_2$. The Assignment of the Osmium-Osmium Stretching Vibration for a Complex Involving an Osmium-Osmium Multiple Bond. *Journal of the American Chemical Society*, 110(18), 5968–5972. <https://doi.org/10.1021/ja00226a006>

Clark, R. J. H., Wills, R. J., & Croud, V. B. (1988). Mixed-Valence Nickel(II)/Platinum(IV) Chain Complexes with 1,2-Diaminopropane. Electronic, Infrared, Raman, and Resonance Raman Studies. *Inorganic Chemistry*, 27(12), 2096–2101. <https://doi.org/10.1021/ic00285a017>

Clark, R. J. H., & Croud, V. B. (1988). Neutral chain bromide- and iodide-bridged platinum(II,IV) complexes of 1,2-diaminoethane and thiocyanate: Synthesis, electronic, infrared, Raman, and resonance-Raman studies. *Journal of the Chemical Society, Dalton Transactions*, (1), 73–77. <https://doi.org/10.1039/DT9880000073>

Clark, R. J. H., & Michael, D. J. (1988). Resonance raman spectra of metal II/IV dimer chain complexes of platinum and palladium. Analysis of the component structure to the band assigned to the symmetric XMX chain stretching mode (X = Cl or Br). *Journal of Molecular Structure*, 189(1–2), 173–185. [https://doi.org/10.1016/0022-2860\(88\)80223-0](https://doi.org/10.1016/0022-2860(88)80223-0)

Best, S. P., Clark, R. J. H., McQueen, R. C. S., & Walton, J. R. (1988). Spectroelectrochemical (Electronic and FTIR) Studies of Tris(maleonitriledithiolate) Complexes. *Inorganic Chemistry*, 27(5), 884–890. <https://doi.org/10.1021/ic00278a027>

Arce, A. J., Bates, P. A., Best, S. P., Clark, R. J. H., Deeming, A. J., Hursthouse, M. B., ... Powell, N. I. (1988). Synthesis, structure, and infrared spectroelectrochemistry of the cluster $[\text{Os}_3\text{H}(\mu\text{-FcCO})(\text{CO})_{10}]$ (Fc = ferrocenyl), a product of oxidative addition of formylferrocene to $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$. *Journal of the Chemical Society, Chemical Communications*, (7), 478–480. <https://doi.org/10.1039/C39880000478>

Clark, R. J. H., Croud, V. B., Dawes, H. M., & Hursthouse, M. B. (1988). The synthesis, vibrational spectroscopy, and crystal and molecular structure of $[\text{H}_3\text{NCH}_2\text{CH}_2\text{NH}_3][\text{PdBr}_6]$. *Polyhedron*, 7(24), 2611–2614. [https://doi.org/10.1016/S0277-5387\(00\)83882-6](https://doi.org/10.1016/S0277-5387(00)83882-6)

Butler, L. G., Swanson, B. I., Zietlow, M. H., Schaefer, W. P., Gray, H. B., Che, C.-M., ... Clark, R. J. H. (1988). Translational Symmetries in the Linear-Chain Semiconductors $\text{K}_4[\text{Pt}_2(\text{PO}_5\text{H}_2)_4\text{X}] \cdot n\text{H}_2\text{O}$ (X = Cl, Br, I). *Journal of the American Chemical Society*, 110(4), 1155–1162. <https://doi.org/10.1021/ja00212a025>

Clark, R. J. H., Shin, K.-S., & Zink, J. I. (1989). Calculation of Excited-State Geometries via the Time-Dependent Theory of Resonance Raman Spectroscopy: Application to Complexes of the Type $\text{Rh}_2(\text{O}_2\text{CCH}_3)_4(\text{MPh}_3)_2$, $\text{M} = \text{P, As, or Sb}$, at Resonance in Each Case with the Lowest $1\text{A}_{2\text{U}}$ Excited State. *Journal of the American Chemical Society*, 111(12), 4244–4250.

<https://doi.org/10.1021/ja00194a015>

Clark, R. J. H., & Hempleman, A. J. (1989). Electronic, Infrared, Raman, And Resonance Raman Spectra of The Dirhodium Tetracarboxylate Complexes $\text{Rh}_2(\text{O}_2\text{C}r)_4(\text{pph}_3)_2$ ($r = \text{H, CH}_3, \text{C}_2\text{H}_5, \text{C}_3\text{H}_7$). *Inorganic Chemistry*, 28(4), 746–752. <https://doi.org/10.1021/ic00303a027>

Clark, R. J. H., & Hempleman, A. J. (1989). Infrared, Raman and pre-resonance Raman spectroscopy of $\text{Rh}_2(\text{O}_2\text{CCH}_3)_4(\text{S}(\text{CH}_2\text{Ph})_2)_2$. *Journal of Molecular Structure*, 197(C), 105–112.

[https://doi.org/10.1016/0022-2860\(89\)85153-1](https://doi.org/10.1016/0022-2860(89)85153-1)

Clark, R. J. H., & Hempleman, A. J. (1989). Infrared, raman, resonance raman, and excitation profile studies of $\text{Rh}_2(\text{O}_2\text{CCH}_3)_4\text{L}_2$ ($\text{L} = \text{AsPh}_3, \text{SbPh}_3$). *Inorganic Chemistry*, 28(1), 92–96.

<https://doi.org/10.1021/ic00300a021>

Clark, R. J. H., Croud, V. B., Wills, R. J., Bates, P. A., Dawes, H. M., & Hursthouse, M. B. (1989). Mixed-valence linear-chain complexes: X-ray structural characterization of a $\text{Pd II} / \text{Pd IV Br}_2$ chain and of three mixed-metal chains, $[\text{NiPt}(\text{en})_4\text{Cl}_2]^{4+}$, $[\text{PdPt}(\text{pn})_4\text{Cl}_2]^{4+}$ and $[\text{NiPt}(\text{pn})_4\text{Cl}_2]^{4+}$, all as perchlorate salts. *Acta Crystallographica Section B*, 45(2), 147–152.

<https://doi.org/10.1107/S0108768188012261>

Fanizzi, F. P., Natile, G., Lanfranchi, M., Tiripicchio, A., Clark, R. J. H., & Michael, D. J. (1989). Syntheses, crystal structures, and Raman and resonance Raman spectroscopy of platinum(II), platinum(IV), and halogen-bridged chain platinum(II,IV) complexes involving the terdentate ligand 3-methyl-3-azapentane-1,5-diamine(4Me-dien). *Journal of the Chemical Society, Dalton Transactions*, (9), 1689–1696. <https://doi.org/10.1039/DT9890001689>

Best, S. P., Chandley, P., Clark, R. J. H., McCarthy, S., Hursthouse, M. B., & Bates, P. A. (1989).

Syntheses, electrochemistry, and spectroscopy of dirhodium(II) tetra-acetamidate and tetrakis(trifluoroacetamide) complexes with axial Group 15 substituents. *Journal of the Chemical Society, Dalton Transactions*, (4), 581–588. <https://doi.org/10.1039/DT9890000581>

Best, S. P., Clark, R. J. H., McQueen, R. C. S., & Joss, S. (1989). The Near- and Mid-Infrared Spectrum of the Creutz-Taube Ion in Aqueous Solution: An Application of FTIR Spectroelectrochemical Techniques. *Journal of the American Chemical Society*, 111(2), 548–550.

<https://doi.org/10.1021/ja00184a023>

Rollo, J. R., Burns, G. R., Robinson, W. T., Clark, R. J. H., Dawes, H. M., & Hursthouse, M. B. (1990). A New Polymorph of Tetraphosphorus Triselenide, α' - P_4Se_3 : An X-ray, Raman, and XPS Study of the Normal Crystalline Phases and a DSC Study of the Crystalline and the Orientationally Disordered Phases of P_4Se_3 . *Inorganic Chemistry*, 29(16), 2889–2894. <https://doi.org/10.1021/ic00341a007>

Kim Shin, K.-S., Clark, R. J. H., & Zink, J. I. (1990). Calculation of excited-state geometries via the time-dependent theory of resonance raman spectroscopy: Application to the complexes $\text{Cs}_4[\text{W}_2\text{OCl}_{10}]$ and $\text{Cs}_3[\text{Re}_2\text{OCl}_{10}]$. *Journal of the American Chemical Society*, 112(10), 3754–3759.

<https://doi.org/10.1021/ja00166a007>

Clark, R. J. H. (1990). Nyholm lecture. Synthesis, structure, and spectroscopy of metal-metal dimers, linear chains, and dimer chains. *Chemical Society Reviews*, 19(2), 107–131. <https://doi.org/10.1039/CS9901900107>

Best, S. P., Clark, R. J. H., & Nightingale, A. J. (1990). Resonance Raman Spectroscopy of the One-Electron-Oxidized Analogs of the Dirhodium Complexes $\text{Rh}_2(\text{bridge})_4$. Cntdot.2L: Bridge = Acetate, Acetamidate, or Trifluoroacetamidate; L = Triphenylphosphine Or Triphenylarsine. Relationship between the Rhodium-Rhodi Stretching Frequency and Bond Order. *Inorganic Chemistry*, 29(7), 1383–1387. <https://doi.org/10.1021/ic00332a020>

Clark, R. J. H., Rodley, G. A., Drake, A. F., Church, R. A., & Zagalsky, P. F. (1990). The carotenoproteins of the starfish *Linckia laevigata* (Echinodermata: asteroidea): A resonance raman and circular dichroism study. *Comparative Biochemistry and Physiology -- Part B: Biochemistry And*, 95(4), 847–853. [https://doi.org/10.1016/0305-0491\(90\)90327-P](https://doi.org/10.1016/0305-0491(90)90327-P)

Ahmed, E., Clark, R. J. H., Tobe, M. L., & Cattalini, L. (1990). The trans effect in gold(III) complexes. Kinetics of substitution reactions of the trichloro(phenyl)aurate(III) anion in methanol. *Journal of the Chemical Society, Dalton Transactions*, (9), 2701–2706. <https://doi.org/10.1039/DT9900002701>

Clark, R. J. H., & Dines, T. J. (1991). Analysis of the excitation profiles of Raman bands of linear-chain mixed-valence complexes. The geometry of $[\text{Pt}(\text{en})_2][\text{Pt}(\text{en})_2\text{Br}_2]\text{Br}_4$ in the intervalence state. *Chemical Physics Letters*, 185(5–6), 490–495. [https://doi.org/10.1016/0009-2614\(91\)80248-V](https://doi.org/10.1016/0009-2614(91)80248-V)

Clark, R. J. H., Michael, D. J., & Yamashita, M. (1991). Notes. Electronic, Raman and resonance-Raman spectroscopy of copper(II)-platinum(IV) linear-chain chloride-bridged complexes of 1,2-diaminoethane. *Journal of the Chemical Society, Dalton Transactions*, (12), 3447–3450. <https://doi.org/10.1039/DT9910003447>

Clark, R. J. H., Michael, D. J., & Yamashita, M. (1991). Synthesis and spectroscopy of linear-chain palladium(II,IV) and platinum(II,IV) complexes involving quadridentate ligands. *Journal of the Chemical Society, Dalton Transactions*, (S), 725–731. <https://doi.org/10.1039/DT9910000725>

Best, S. P., Clark, R. J. H., Deeming, A. J., McQueen, R. C. S., Powell, N. I., Acuña, C., ... De Sanctis, Y. (1991). Synthesis, X-ray structures and infrared spectroelectrochemistry of orthometallated derivatives of pyrrolyl complexes of iron and manganese formed by reaction with $[\text{Os}_3(\text{CO})_{10}(\text{MeCN})_2]$. *Journal of the Chemical Society, Dalton Transactions*, (4), 1111–1115. <https://doi.org/10.1039/DT9910001111>

Clark, R. J. H. (1991). The Thomas Graham Lecture 1991. “Thomas Graham - Would his research be α -unfunded today?” *Chemical Society Reviews*, 20(4), 405–424. <https://doi.org/10.1039/CS9912000405>

Austin, E. J. W., Barrie, P. J., & Clark, R. J. H. (1992). ^{15}N Solid-State NMR Study of Ligands in Platinum Mixed-Valence Complexes. *Inorganic Chemistry*, 31(21), 4281–4285. <https://doi.org/10.1021/ic00047a014>

Clark, R. J. H., West, D. J., & Withnall, R. (1992). Electronic, Infrared, Raman, and Resonance Raman Spectroscopy of the Dirhodium Tetrakis(thiocarboxylate) Complexes $\text{Rh}_2(\text{OSCCH}_3)_4\text{L}_2$ (L = PPh_3 , AsPh_3 , SbPh_3 , CH_3COSH). *Inorganic Chemistry*, 31(3), 456–459. <https://doi.org/10.1021/ic00029a021>

Best, S. P., Clark, R. J. H., & Withnall, R. (1992). Non-destructive pigment analysis of artefacts by Raman microscopy. *Endeavour*, 16(2), 66–73. [https://doi.org/10.1016/0160-9327\(92\)90004-9](https://doi.org/10.1016/0160-9327(92)90004-9)

- Baechle, W., Rotter, H. W., Thiele, G., & Clark, R. J. H. (1992). Raman and resonance Raman spectroscopy of iodoplatinate(II), iodoplatinate(IV) and mixed-valence iodoplatinate(II,IV) salts. *Inorganica Chimica Acta*, 191(1), 121–129. [https://doi.org/10.1016/S0020-1693\(00\)80338-2](https://doi.org/10.1016/S0020-1693(00)80338-2)
- Chandley, P., Clark, R. J. H., Angel, R. J., & Price, G. D. (1992). Site preference of vanadium doped into ZrSiO₄ and ZrGeO₄ and of terbium doped into ZrGeO₄. *Journal of the Chemical Society, Dalton Transactions*, (9), 1579–1584. <https://doi.org/10.1039/DT9920001579>
- Chandley, P., & Clark, R. J. H. (1992). The flux growth of single crystals of vanadium-doped ZrSiO₄, HfSiO₄, ZrGeO₄ and HfGeO₄ as well as of chromium-doped ZrSiO₄ and terbium-doped ZrGeO₄. *Journal of Crystal Growth*, 116(1–2), 151–157. [https://doi.org/10.1016/0022-0248\(92\)90124-2](https://doi.org/10.1016/0022-0248(92)90124-2)
- Clark, R. J. H., Cooksey, C. J., Daniels, M. A. M., & Withnall, R. (1993). Indigo, woad, and Tyrian Purple: important vat dyes from antiquity to the present. *Endeavour*, 17(4), 191–199. [https://doi.org/10.1016/0160-9327\(93\)90062-8](https://doi.org/10.1016/0160-9327(93)90062-8)
- Best, S. P., Ciniawsky, S. A., Clark, R. J. H., & McQueen, R. C. S. (1993). Infrared spectroelectrochemical studies of bis(1,2-dithiolene) complexes of transition metals. *Journal of the Chemical Society, Dalton Transactions*, (15), 2267–2271. <https://doi.org/10.1039/DT9930002267>
- Austin, E. J. W., Barrie, P. J., & Clark, R. J. H. (1993). Solid-state ¹⁹⁵Pt NMR studies of the complexes Pt(en)Cl_x(en = 1,2-diaminoethane; X = 2, 3 or 4). *Journal of the Chemical Society, Chemical Communications*, (18), 1404–1405. <https://doi.org/10.1039/C39930001404>
- Böhme, U., Clark, R. J. H., & Jennens, M. (1994). Bis(tert-butylcyclopentadienyl)-(divinyl) hafnium from bis(tert-butylcyclopentadienyl)hafnium dichloride and vinyl lithium. *Journal of Organometallic Chemistry*, 474(1–2), C19–C20. [https://doi.org/10.1016/0022-328X\(94\)84077-6](https://doi.org/10.1016/0022-328X(94)84077-6)
- Albrecht, A. C., Clark, R. J. H., Oprescu, D., Owens, S. J. R., & Svendsen, C. (1994). Overtone resonance Raman scattering beyond the Condon approximation: Transform theory and vibronic properties. *The Journal of Chemical Physics*, 101(3), 1890–1903. <https://doi.org/10.1063/1.468434>
- Hayward, C. L., Best, S. P., Clark, R. J. H., Ross, N. L., & Withnall, R. (1994). Polarised single crystal Raman spectroscopy of sinhalite, MgAlBO₄. *Spectrochimica Acta Part A: Molecular Spectroscopy*, 50(7), 1287–1294. [https://doi.org/10.1016/0584-8539\(94\)80094-4](https://doi.org/10.1016/0584-8539(94)80094-4)
- Best, S. P., Clark, R. J. H., Hayward, C. L., & Withnall, R. (1994). Polarized single-crystal Raman spectroscopy of danburite, CaB₂Si₂O₈. *Journal of Raman Spectroscopy*, 25(7–8), 557–563. <https://doi.org/10.1002/jrs.1250250717>
- Barrie, P. J., Clark, R. J. H., Withnall, R., Chung, D.-Y., Kim, K.-W., & Kanatzidis, M. G. (1994). Se Solid-State NMR Studies of [M(Se₄)₂]₂ Anions (M = Zn, Cd, Hg). *Inorganic Chemistry*, 33(6), 1212–1216. <https://doi.org/10.1021/ic00084a040>
- Svendsen, C., Mortensen, O. S., & Clark, R. J. H. (1994). Transform methods in resonance Raman scattering based on Heller theory. *Chemical Physics*, 187(3), 349–364. [https://doi.org/10.1016/0301-0104\(94\)89017-X](https://doi.org/10.1016/0301-0104(94)89017-X)
- Barrie, P. J., Clark, R. J. H., Chung, D.-Y., Chakrabarty, D., & Kanatzidis, M. G. (1995). ⁷⁷Se Solid-State NMR Spectroscopy and Structures of Tetramethylammonium Pentaselenide and Hexaselenide Complexes. *Inorganic Chemistry*, 34(17), 4299–4304. <https://doi.org/10.1021/ic00121a006>
- Clark, R. J. H., & Zhu, Y. (1995). A novel isothermal electrochemical microcalorimeter. *Thermochimica Acta*, 262(C), 55–68. [https://doi.org/10.1016/0040-6031\(95\)02303-J](https://doi.org/10.1016/0040-6031(95)02303-J)

Austin, E. J. W., Barrie, P. J., & Clark, R. J. H. (1995). Distribution of Halogen Atoms in Mixed-Valence Linear-Chain Complexes of Platinum: A Solid-State ^{15}N NMR Study. *Inorganic Chemistry*, 34(15), 3859–3863. <https://doi.org/10.1021/ic00119a005>

Best, S. P., Clark, R. J. H., Daniels, M. A. M., Porter, C. A., & Withnall, R. (1995). Identification by raman microscopy and visible reflectance spectroscopy of pigments on an icelandic manuscript. *Studies in Conservation*, 40(1), 31–40. <https://doi.org/10.1179/sic.1995.40.1.31>

Clark, R. J. (1995). Pigment identification on medieval manuscripts by Raman microscopy. *Journal of Molecular Structure*, 347, 417–427. [https://doi.org/10.1016/0022-2860\(95\)08564-C](https://doi.org/10.1016/0022-2860(95)08564-C)

Clark, R. J. H. (1995). Raman microscopy: Application to the identification of pigments on medieval manuscripts. *Chemical Society Reviews*, 24(3), 187–196. <https://doi.org/10.1039/CS9952400187>

Cipriano, C., Clark, R. J. H., Oprescu, D., & Withnall, R. (1995). Resonance-Raman spectra and excited-state geometry of the bis(μ -acetato)(μ -oxo) ruthenium(III) dimeric ion $[\text{Ru}_2(\mu\text{-O}_2\text{CMe})_2(\mu\text{-O})(\text{py})_6]^{2+}$ (py = pyridine). *Journal of the Chemical Society, Dalton Transactions*, (14), 2417–2419. <https://doi.org/10.1039/DT9950002417>

Best, S. P., Clark, R. J. H., & Humphrey, D. G. (1995). Spectroelectrochemical Characterization of $[\text{Re}_2(\mu\text{-NCS})_2(\text{NCS})_8]^{z-}$ ($z = 1\text{--}4$): Evidence for the Interconversion of an Edge-Shared Biocahedral and a Direct Metal-Metal-Bonded Structure. *Inorganic Chemistry*, 34(5), 1013–1014. <https://doi.org/10.1021/ic00109a003>

Clark, R. J. H., Fanizzi, F. P., Natile, G., Pacifico, C., van Rooyen, C. G., & Tocher, D. A. (1995). Steric constraints and addition reactions in platinum(II) complexes containing 2,9-dimethyl-1,10-phenanthroline ($\text{Me}_2\text{-phen}$). X-ray crystal structures of $[\text{PtBr}_2(\text{Me}_2\text{-phen})]$ and $[\text{PtI}_2(\text{Me}_2\text{-phen})]$. *Inorganica Chimica Acta*, 235(1–2), 205–213. [https://doi.org/10.1016/0020-1693\(95\)90062-B](https://doi.org/10.1016/0020-1693(95)90062-B)

Clark, R. J. H., Cridland, L., Kariuki, B. M., Harris, K. D. M., & Withnall, R. (1995). Synthesis, structural characterisation and Raman spectroscopy of the inorganic pigments lead tin yellow types I and II and lead antimonate yellow: Their identification on medieval paintings and manuscripts. *Journal of the Chemical Society, Dalton Transactions*, (16), 2577–2582. <https://doi.org/10.1039/DT9950002577>

Svendsen, C., Nielsen, M. J., Mortensen, O. S., Allers, S. J. R., & Clark, R. J. H. (1996). A study of the 1B_2 excited state geometries of the metal-metal quadruply bonded compounds $\text{Mo}_2\text{X}_4(\text{PMe}_3)_4$ ($\text{X} = \text{Cl}, \text{Br}$ or I). *Chemical Physics*, 210(3), 477–484. [https://doi.org/10.1016/0301-0104\(96\)00142-5](https://doi.org/10.1016/0301-0104(96)00142-5)

Clark, R. J. H., Owens, S. J. R., Svendsen, C., Nielsen, M. J., & Mortensen, O. S. (1996). A study of the geometry of the $[\text{Re}_2\text{Br}_8]^{2-}$, $[\text{Re}_2\text{I}_8]^{2-}$ and $[\text{Mo}_2\text{Cl}_8]^{4-}$ ions in the lowest 1A_{2u} excited state by the application of the sum-over-states method to resonance Raman band intensities. *Inorganica Chimica Acta*, 243(1–2), 249–254.

Clark, R. J. H., & Dann, J. R. (1996). Matrix isolation study of the photochemically induced reaction between iodoethane and ozone trapped in solid argon at 16 K. Infrared spectra of iodoethane ($\text{C}_2\text{H}_5\text{IO}$), iodyethane ($\text{C}_2\text{H}_5\text{IO}_2$), ethyl hypoiodide ($\text{C}_2\text{H}_5\text{OI}$), hydrogen hypoiodide (HOI), hydrogen iodide, and ethanal complexes. *Journal of Physical Chemistry*, 100(2), 532–538.

Clark, R. J. H., & Dann, J. R. (1996). Matrix isolation study of the reaction of oxygen atoms with tribromofluoromethane in argon and oxygen matrices at 14 K. FTIR spectra of CBr_3F , of COBrF , of the FCO radical, and of the ^{18}O isotopomers. *Journal of Physical Chemistry*, 100(22), 9271–9275.

Ciomartan, D. A., & Clark, R. J. H. (1996). Raman microscopy applied to the analysis of the pigments used in two Persian manuscripts. *Journal of the Brazilian Chemical Society*, 7(6), 395–402. <https://doi.org/10.5935/0103-5053.19960079>

De Waal, D., Heyns, A. M., Pretorius, G., & Clark, R. J. H. (1996). Raman spectroscopic investigations of $\text{ZrSiO}_4\text{:V}^{4+}$, the blue zircon vanadium pigment. *Journal of Raman Spectroscopy*, 27(9), 657–662.

Clark, R. J. H., & Humphrey, D. G. (1996). Redox Behavior of Edge-Shared Biocahedral $[\text{Re}_2(\mu\text{-NCS})_2(\text{NCS})_8]^{3-}$ and Its Relationship to the Direct Metal - Metal-Bonded Ion $[\text{Re}_2(\text{NCS})_8]^{2-}$: A Spectroelectrochemical Study. *Inorganic Chemistry*, 35(7), 2053–2061.

Hartl, F., Barbaro, P., Bell, I. M., Clark, R. J. H., Snoeck, T. L., & Vlček Jr., A. (1996). Valence localization in $[\text{M}(\text{triphos})(3,5\text{-di-tert-butyl-catecholate})]^+$ ions ($\text{M} = \text{Co}, \text{Rh}$ or Ir) probed by resonance Raman spectroscopy. *Inorganica Chimica Acta*, 252(1–2), 157–166.

Barrie, P. J., Austin, E. J. W., Barbieri, A., & Clark, R. J. H. (1997). ^{15}N solid-state NMR studies of platinum ammine complexes. *Inorganica Chimica Acta*, 264(1–2), 81–88.

Svendsen, C., Nielsen, M. J., Mortensen, O. S., Allers, S. J. R., & Clark, R. J. H. (1997). A study of the 1B_2 excited state geometries of the metal-metal quadruply bonded compounds $\text{Mo}_2\text{X}_4(\text{PMe}_3)_4$ ($\text{X} = \text{Cl}, \text{Br}$ or I). *Chemical Physics*, 215(1), 89–96. [https://doi.org/10.1016/S0301-0104\(96\)00368-0](https://doi.org/10.1016/S0301-0104(96)00368-0)

Clark, R. J. H., & Cooksey, C. J. (1997). Bromoindirubins: The synthesis and properties of minor components of Tyrian purple and the composition of the colorant from *Nucella lapillus*. *Journal of the Society of Dyers and Colourists*, 113(11), 316–321.

Clark, R. J. H., Curri, L., Henshaw, G. S., & Laganara, C. (1997). Characterization of brown-black and blue pigments in glazed pottery fragments from Castel Fiorentino (Foggia, Italy) by Raman microscopy, X-ray powder diffractometry and X-ray photoelectron spectroscopy. *Journal of Raman Spectroscopy*, 28(2–3), 105–109.

Clark, R. J. H., & Gibbs, P. J. (1997). Identification of lead(II) sulfide and pararealgar on a 13th century manuscript by Raman microscopy. *Chemical Communications*, (11), 1003–1004. <https://doi.org/10.1039/a701837a>

Clark, R. J. H., Gibbs, P. J., Seddon, K. R., Brovenko, N. M., & Petrosyan, Y. A. (1997). Non-destructive in situ identification of cinnabar on ancient Chinese manuscripts. *Journal of Raman Spectroscopy*, 28(2–3), 91–94.

Clark, R. J. H., & Gibbs, P. J. (1997). Non-destructive in situ study of ancient Egyptian faience by Raman microscopy. *Journal of Raman Spectroscopy*, 28(2–3), 99–103.

Al Dulaimi, J. P., Clark, R. J. H., & Humphrey, D. G. (1997). Oxidative and reductive activation of tetra-*n*-butylammonium trans-tetrabromobis(tert-butylisocyanide)ruthenium(III): A spectroelectrochemical study. *Journal of the Chemical Society - Dalton Transactions*, (15), 2535–2536. <https://doi.org/10.1039/a703245e>

Clark, R. J. H., Dann, J. R., & Foley, L. J. (1997). Photochemical reaction of ozone with 2-iodopropane and the four polyfluoroiodoethanes $\text{C}_2\text{F}_5\text{I}$, $\text{CF}_3\text{CH}_2\text{I}$, $\text{CF}_2\text{HCF}_2\text{I}$, and $\text{CF}_3\text{CFH}\text{I}$ in solid argon at 14 K. FTIR spectra of the iodoso-intermediates (Z-IO), the iodyl-intermediates (Z-IO₂), and the various complexes. *Journal of Physical Chemistry A*, 101(49), 9260–9271.

Clark, R. J. H., & Dann, J. R. (1997). Photochemical reaction of ozone with chloriodomethane and bromochloromethane in solid argon at 14 K. FTIR spectra of the intermediate, CH_2ClIO , and the

complexes $\text{HC(O)Cl}\cdots\text{HI}$, $\text{HC(O)Cl}\cdots\text{HBr}$, $\text{HC(O)Br}\cdots\text{HCl}$, COBrCl , $(\text{CO})(\text{HCl})(\text{HI})$, and $(\text{CO})(\text{HBr})(\text{HCl})$. *Journal of Physical Chemistry A*, 101(11), 2074–2082.

Burgio, L., Ciomartan, D. A., & Clark, R. J. H. (1997). Pigment identification on medieval manuscripts, paintings and other artefacts by Raman microscopy: Applications to the study of three German manuscripts. *Journal of Molecular Structure*, 405(1), 1–11. [https://doi.org/10.1016/S0022-2860\(96\)09422-7](https://doi.org/10.1016/S0022-2860(96)09422-7)

Burgio, L., Ciomartan, D. A., & Clark, R. J. H. (1997). Raman microscopy study of the pigments on three illuminated mediaeval Latin manuscripts. *Journal of Raman Spectroscopy*, 28(2–3), 79–83.

Clark, R. J. H., Curri, M. L., & Laganara, C. (1997). Raman microscopy: The identification of lapis lazuli on medieval pottery fragments from the south of Italy. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 53(4 PART A), 597–603.

Bell, I. M., Clark, R. J. H., & Gibbs, P. J. (1997). Raman spectroscopic library of natural and synthetic pigments (pre-~ 1850 AD). *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 53(12), 2159–2179. [https://doi.org/10.1016/S1386-1425\(97\)00140-6](https://doi.org/10.1016/S1386-1425(97)00140-6)

Torii, H., Tasumi, M., Bell, I. M., & Clark, R. J. H. (1997). Vibrational analyses of the tetrathiosquarate ion based on ab initio molecular orbital and density functional calculations: Effect of the Jahn-Teller distortion in the excited electronic state on Raman intensities. *Chemical Physics*, 216(1–2), 67–79. [https://doi.org/10.1016/S0301-0104\(97\)00002-5](https://doi.org/10.1016/S0301-0104(97)00002-5)

Bell, I. M., Clark, R. J. H., & Humphrey, D. G. (1997). Vibrational and electronic spectroscopy of the octacyanodimolybdate ion, $[\text{Mo}_2(\text{CN})_8]^{4-}$. *Journal of the Chemical Society - Dalton Transactions*, (7), 1225–1229.

Clark, R. J. H., Gibbs, P. J., & Jarjis, R. A. (1998). An investigation into the deacidification of paper by ethoxymagnesium ethylcarbonate. *Journal of Materials Chemistry*, 8(12), 2685–2690. <https://doi.org/10.1039/a804453h>

Clark, R. J. H., & Gibbs, P. J. (1998). Analysis of 16th century Qazwīnī manuscripts by Raman microscopy and remote laser Raman microscopy. *Journal of Archaeological Science*, 25(7), 621–629. <https://doi.org/10.1006/jasc.1997.0220>

Clark, R. J. H., Dyson, P. J., Humphrey, D. G., & Johnson, B. F. G. (1998). In situ infrared spectroelectrochemical studies of $[\text{Ru}_6\text{C}(\text{CO})_{17}]$ and $[\text{Ru}_6\text{C}(\text{CO})_{16}]^{2-}$: The redox induced conversion of carbon monoxide to carbon dioxide. *Polyhedron*, 17(17), 2985–2991. [https://doi.org/10.1016/S0277-5387\(98\)00101-6](https://doi.org/10.1016/S0277-5387(98)00101-6)

Clark, R. J. H. (1998). Raman microscopy of a 13th-century illuminated text. *Analytical Chemistry*, 70(3), 99A–104A.

Bond, A. M., Clark, R. J. H., Humphrey, D. G., Panayiotopoulos, P., Skelton, B. W., & White, A. H. (1998). Synthesis, characterisation and electrochemical reductions of oxo-centred, carboxylate-bridged triiron complexes. *Journal of the Chemical Society - Dalton Transactions*, (11), 1845–1852.

Clark, R. J. H., & Curri, M. L. (1998). The identification by Raman microscopy and x-ray diffraction of iron-oxide pigments and of the red pigments found on Italian pottery fragments. *Journal of Molecular Structure*, 440(1–3), 105–111. [https://doi.org/10.1016/S0022-2860\(97\)00239-1](https://doi.org/10.1016/S0022-2860(97)00239-1)

- Price, L. S., Parkin, I. P., Hardy, A. M. E., Clark, R. J. H., Hibbert, T. G., & Molloy, K. C. (1999). Atmospheric pressure chemical vapor deposition of tin sulfides (SnS , Sn_2S_3 , and SnS_2) on glass. *Chemistry of Materials*, 11(7), 1792–1799.
- Bell, I. M., Clark, R. J. H., & Humphrey, D. G. (1999). Electronic, Raman and resonance Raman spectroscopy of $[\text{NBu}_4][\text{RuBr}_4(\text{MeCN})_2]$. *Journal of the Chemical Society - Dalton Transactions*, (8), 1307–1310. <https://doi.org/10.1039/a900267g>
- Takahashi, M., Robertson, N., Clark, R. J. H., & Underhill, A. E. (1999). Isolation and characterisation of a new monodithiolate gold(III) complex. *Polyhedron*, 18(11), 1545–1548. [https://doi.org/10.1016/S0277-5387\(98\)00437-9](https://doi.org/10.1016/S0277-5387(98)00437-9)
- Clark, R. J. H., Dann, J. R., & Foley, L. J. (1999). Matrix isolation study of the photochemically induced reaction of ozone with dibromochloromethane and bromodichloromethane in solid argon at 14 K. FT-IR spectra of the complexes $\text{C}(\text{O})\text{HCl} \cdots \text{BrX}$, $\text{C}(\text{O})\text{HBr} \cdots \text{XCl}$, $\text{C}(\text{O})\text{BrCl} \cdots \text{HX}$, $(\text{OC})(\text{HCl})(\text{Br}_2)$, $(\text{OC})(\text{HBr})(\text{Cl}_2)$, and $(\text{OC})(\text{BrCl})(\text{HX})$ (where $\text{X} = \text{Br}$ or Cl). *Journal of the Chemical Society - Dalton Transactions*, (1), 73–78. <https://doi.org/10.1039/a805799k>
- Clark, R. J. H., & Cooksey, C. J. (1999). Monobromoindigos: A new general synthesis, the characterization of all four isomers and an investigation into the purple colour of 6,6'-dibromoindigo. *New Journal of Chemistry*, 23(3), 323–328. <https://doi.org/10.1039/a808562e>
- Burgio, L., Clark, R. J. H., & Gibbs, P. J. (1999). Pigment identification studies in situ of Javanese, Thai, Korean, Chinese and Uighur manuscripts by Raman microscopy. *Journal of Raman Spectroscopy*, 30(3), 181–184. [https://doi.org/10.1002/\(SICI\)1097-4555\(199903\)30:3<181::AID-JRS356>3.0.CO;2-8](https://doi.org/10.1002/(SICI)1097-4555(199903)30:3<181::AID-JRS356>3.0.CO;2-8)
- Clark, R. J. H. (1999). Raman microscopy: Sensitive probe of pigments on manuscripts, paintings and other artefacts. *Journal of Molecular Structure*, 480–481, 15–20. [https://doi.org/10.1016/S0022-2860\(98\)00649-8](https://doi.org/10.1016/S0022-2860(98)00649-8)
- Burgio, L., Clark, R. J. H., & Toftlund, H. (1999). The identification of pigments used on illuminated plates from “Flora Danica” by Raman microscopy. *Acta Chemica Scandinavica*, 53(3), 181–187. <https://doi.org/10.3891/acta.chem.scand.53-0181>
- Berry, F. J., Skinner, S. J., Bell, I. M., Clark, R. J. H., & Ponton, C. B. (1999). The influence of pH on zirconia formed from zirconium (IV) acetate solution: Characterization by X-ray powder diffraction and Raman spectroscopy. *Journal of Solid State Chemistry*, 145(2), 394–400. <https://doi.org/10.1006/jssc.1998.8095>
- Clark, R. J. H., Foley, L. J., & Price, S. D. (2000). A matrix isolation study of the photochemically induced reactions of ozone with iodine cyanide and bromine cyanide. *Journal of Physical Chemistry A*, 104(46), 10675–10682. <https://doi.org/10.1021/jp002274e>
- Castillejo, M., Martín, M., Silva, D., Stratoudaki, T., Anglos, D., Burgio, L., & Clark, R. J. H. (2000). Analysis of pigments in polychromes by use of laser induced breakdown spectroscopy and Raman microscopy. *Journal of Molecular Structure*, 550–551, 191–198. [https://doi.org/10.1016/S0022-2860\(00\)00386-0](https://doi.org/10.1016/S0022-2860(00)00386-0)
- Price, L. S., Parkin, I. P., Field, M. N., Hardy, A. M. E., Clark, R. J. H., Hibbert, T. G., & Molloy, K. C. (2000). Atmospheric pressure chemical vapour deposition of tin(II) sulfide films on glass substrates from $\text{Bu}(\text{n})_3\text{SnO}_2\text{CCF}_3$ with hydrogen sulfide. *Journal of Materials Chemistry*, 10(2), 527–530. <https://doi.org/10.1039/a907939d>

Hsu, W. K., Firth, S., Redlich, P., Terrones, M., Terrones, H., Zhu, Y. Q., ... Walton, D. R. M. (2000). Boron-doping effects in carbon nanotubes. *Journal of Materials Chemistry*, 10(6), 1425–1429. <https://doi.org/10.1039/b000720j>

Burgio, L., & Clark, R. J. H. (2000). Comparative pigment analysis of six modern Egyptian papyri and an authentic one of the 13th century BC by Raman microscopy other techniques. *Journal of Raman Spectroscopy*, 31(5), 395–401. [https://doi.org/10.1002/1097-4555\(200005\)31:5<395::AID-JRS527>3.0.CO;2-E](https://doi.org/10.1002/1097-4555(200005)31:5<395::AID-JRS527>3.0.CO;2-E)

Chisholm, M. H., Macintosh, A. M., Huffman, J. C., Wu, D., Davidson, E. R., Clark, R. J. H., & Firth, S. (2000). Dimolybdenum bis((S,S,S)-triisopropanolamine(3-3)): A blue compound with an unusual Mo-Mo triple bond. *Inorganic Chemistry*, 39(16), 3544–3550. <https://doi.org/10.1021/ic991352d>

Hsu, W. K., Li, W. Z., Zhu, Y. Q., Grobert, N., Terrones, M., Terrones, H., ... Walton, D. R. M. (2000). KCl crystallization within the space between carbon nanotube walls. *Chemical Physics Letters*, 317(1–2), 77–82. [https://doi.org/10.1016/S0009-2614\(99\)01347-0](https://doi.org/10.1016/S0009-2614(99)01347-0)

Castillejo, M., Martín, M., Silva, D., Stratoudaki, T., Anglos, D., Burgio, L., & Clark, R. J. H. (2000). Laser-induced breakdown spectroscopy and Raman microscopy for analysis of pigments in polychromes. *Journal of Cultural Heritage*, 1(2), S297–S302. [https://doi.org/10.1016/S1296-2074\(00\)00171-0](https://doi.org/10.1016/S1296-2074(00)00171-0)

Burgio, L., Clark, R. J. H., Stratoudaki, T., Doulgeridis, M., & Anglos, D. (2000). Pigment identification in painted artworks: A dual analytical approach employing laser-induced breakdown spectroscopy and Raman microscopy. *Applied Spectroscopy*, 54(4), 463–469. <https://doi.org/10.1366/0003702001949861>

Al Dulaimi, J. P., Clark, R. J. H., Saavedra, M., & Abdus Salam, M. (2000). Redox properties of two new ruthenium(III) isocyanide complexes, trans-[NBu₄][RuX₄(CNTM)₂](X = Cl or Br, CNTM = p-tolylsulfonylmethylisocyanide). *Inorganica Chimica Acta*, 300(302), 525–530. [https://doi.org/10.1016/S0020-1693\(99\)00587-3](https://doi.org/10.1016/S0020-1693(99)00587-3)

Aldulaimi, J. P., Clark, R. J. H., & Humphrey, D. G. (2000). Redox-activated ligand-exchange reactions of tetrabutylammonium ti'ans-bis(tei-t-butyl isocyanide)tetrahalogenoruthenate(III) complexes, [NBu₄][RuX₄(CNBut)₂] (X = Cl or Br). *Journal of the Chemical Society, Dalton Transactions*, (6), 933–939. <https://doi.org/10.1039/a908241g>

Al Dulaimi, J. P., Clark, R. J. H., Saavedra S, M., & Abdus Salam, M. (2000). Spectroelectrochemical studies on some new ruthenium(II) complexes containing both cyanide and isocyanide ligands. *Inorganica Chimica Acta*, 300–302, 175–180. [https://doi.org/10.1016/S0020-1693\(99\)00581-2](https://doi.org/10.1016/S0020-1693(99)00581-2)

Athanassiou, A., Hill, A. E., Fourrier, T., Burgio, L., & Clark, R. J. H. (2000). The effects of UV laser light radiation on artists' pigments. *Journal of Cultural Heritage*, 1(2), S209–S213. [https://doi.org/10.1016/S1296-2074\(00\)00180-1](https://doi.org/10.1016/S1296-2074(00)00180-1)

Clark, R. J. H., Firth, S., Sella, A., Miskowski, V. M., & Hopkins, M. D. (2000). The nature of the normal modes of [Mo₂(CN)₈]⁴⁻. *Journal of the Chemical Society, Dalton Transactions*, (17), 2928–2932. <https://doi.org/10.1039/b004186f>

Smith, G. D., Burgio, L., Firth, S., & Clark, R. J. H. (2001). Laser-induced degradation of lead pigments with reference to Botticelli's Trionfo d'Amore. *Analytica Chimica Acta*, 440(2), 185–188. [https://doi.org/10.1016/S0003-2670\(01\)01053-4](https://doi.org/10.1016/S0003-2670(01)01053-4)

Burgio, L., & Clark, R. J. H. (2001). Library of FT-Raman spectra of pigments, minerals, pigment media and varnishes, and supplement to existing library of Raman spectra of pigments with visible excitation. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 57(7), 1491–1521. [https://doi.org/10.1016/S1386-1425\(00\)00495-9](https://doi.org/10.1016/S1386-1425(00)00495-9)

Zhu, Y. Q., Hsu, W. K., Firth, S., Terrones, M., Clark, R. J. H., Kroto, H. W., & Walton, D. R. M. (2001). Nb-doped WS₂ nanotubes. *Chemical Physics Letters*, 342(1–2), 15–21. [https://doi.org/10.1016/S0009-2614\(01\)00534-6](https://doi.org/10.1016/S0009-2614(01)00534-6)

Rashid, S., Turner, S. S., Day, P., Howard, J. A. K., Guionneau, P., McInnes, E. J. L., ... Biggs, T. (2001). New superconducting charge-transfer salts (BEDT-TTF)₄[A·M(C₂O₄)₃]·C₆H₅NO₂ (A = H₃O or NH₄, M = Cr or Fe, BEDT-TTF = bis(ethylenedithio)tetrathiafulvalene). *Journal of Materials Chemistry*, 11(9), 2095–2101. <https://doi.org/10.1039/b101134k>

Rashid, S., Turner, S. S., Day, P., Howard, J. A. K., Guionneau, P., McInnes, E. J. L., ... Biggs, T. (2001). New superconducting charge-transfer salts (BEDT-TTF)₄[A·M(C₂O₄)₃]·C₆H₅NO₂ (A = H₃O or NH₄, M = Cr or Fe, BEDT-TTF = bis(ethylenedithio)tetrathiafulvalene). *Journal of Materials Chemistry*, 11(9), 2096–2102. <https://doi.org/10.1039/b101134k>

Burgio, L., Melessanaki, K., Doulgeridis, M., Clark, R. J. H., & Anglos, D. (2001). Pigment identification in paintings employing laser induced breakdown spectroscopy and Raman microscopy. *Spectrochimica Acta - Part B Atomic Spectroscopy*, 56(6), 905–913. [https://doi.org/10.1016/S0584-8547\(01\)00215-4](https://doi.org/10.1016/S0584-8547(01)00215-4)

Burgio, L., Clark, R. J. H., & Firth, S. (2001). Raman spectroscopy as a means for the identification of plattnerite (PbO₂), of lead pigments and of their degradation products. *Analyst*, 126(2), 222–227. <https://doi.org/10.1039/b008302j>

Rashid, S., Turner, S. S., Day, P., Light, M. E., Hursthouse, M. B., Firth, S., & Clark, R. J. H. (2001). The first molecular charge transfer salt containing proton channels. *Chemical Communications*, 16, 1462–1463. <https://doi.org/10.1039/b103877j>

Hsu, W. K., Zhu, Y. Q., Yao, N., Firth, S., Clark, R. J. H., Kroto, H. W., & Walton, D. R. M. (2001). Titanium-doped molybdenum disulfide nanostructures. *Advanced Functional Materials*, 11(1), 69–74. [https://doi.org/10.1002/1616-3028\(200102\)11:1<69::AID-ADFM69>3.0.CO;2-D](https://doi.org/10.1002/1616-3028(200102)11:1<69::AID-ADFM69>3.0.CO;2-D)

Zhu, Y. Q., Hsu, W. K., Terrones, M., Firth, S., Grobert, N., Clark, R. J. H., ... Walton, D. R. M. (2001). Tungsten-niobium-sulfur composite nanotubes. *Chemical Communications*, (1), 121–122. <https://doi.org/10.1039/b007074m>

Hsu, W. K., Zhu, Y. Q., Firth, S., Terrones, M., Terrones, H., Trasobares, S., ... Walton, D. R. M. (2001). W_xMoyCzS₂ nanotubes [2]. *Carbon*, 39(7), 1107–1111. [https://doi.org/10.1016/S0008-6223\(01\)00039-2](https://doi.org/10.1016/S0008-6223(01)00039-2)

Rashid, S., Turner, S. S., Le Pevelen, D., Day, P., Light, M. E., Hursthouse, M. B., ... Clark, R. J. H. (2001). β''-(BEDT-TTF)₄[(H₃O)Cr(C₂O₄)₃]CH₂Cl₂: Effect of included solvent on the structure and properties of a conducting molecular charge-transfer salt. *Inorganic Chemistry*, 40(20), 5304–5306. <https://doi.org/10.1021/ic010484f>

Daniilia, S., Bikiaris, D., Burgio, L., Gavala, P., Clark, R. J. H., & Chrysoulakis, Y. (2002). An extensive non-destructive and micro-spectroscopic study of two post-Byzantine overpainted icons of the 16th century. *Journal of Raman Spectroscopy*, 33(10), 807–814. <https://doi.org/10.1002/jrs.907>

Brown, K. L., & Clark, R. J. H. (2002). Analysis of pigmentary materials on the Vinland Map and Tartar Relation by Raman microprobe spectroscopy. *Analytical Chemistry*, 74(15), 3658–3661. <https://doi.org/10.1021/ac025610r>

Chaplin, T. D., Clark, R. J. H., & Beech, D. R. (2002). Comparison of genuine (1851-1852 AD) and forged or reproduction Hawaiian Missionary stamps using Raman microscopy. *Journal of Raman Spectroscopy*, 33(6), 424–428. <https://doi.org/10.1002/jrs.874>

Smith, G. D., Firth, S., Clark, R. J. H., & Cardona, M. (2002). First- and second-order Raman spectra of galena (PbS). *Journal of Applied Physics*, 92(8), 4375–4380. <https://doi.org/10.1063/1.1505670>

Smith, G. D., Derbyshire, A., & Clark, R. J. H. (2002). In situ spectroscopic detection of lead sulphide on a blackened manuscript illumination by Raman microscopy. *Studies in Conservation*, 47(4), 250–256. <https://doi.org/10.1179/sic.2002.47.4.250>

Manning, T. D., Parkin, I. P., Clark, R. J. H., Sheel, D., Pemble, M. E., & Vernadou, D. (2002). Intelligent window coatings: Atmospheric pressure chemical vapour deposition of vanadium oxides. *Journal of Materials Chemistry*, 12(10), 2936–2939. <https://doi.org/10.1039/b205427m>

Whitby, R. L. D., Hsu, W. K., Fearon, P. K., Billingham, N. C., Maurin, I., Kroto, H. W., ... Collison, D. (2002). Multiwalled carbon nanotubes coated with tungsten disulfide. *Chemistry of Materials*, 14(5), 2209–2217. <https://doi.org/10.1021/cm011282k>

Smith, G. D., & Clark, R. J. H. (2002). Note on lead(II) oxide in mediaeval frescoes from the monastery of San Baudelio, Spain. *Applied Spectroscopy*, 56(6), 804–806. <https://doi.org/10.1366/000370202760077577>

Mills, A., Elliott, N., Parkin, I. P., O'Neill, S. A., & Clark, R. J. (2002). Novel TiO₂ CVD films for semiconductor photocatalysis. *Journal of Photochemistry and Photobiology A: Chemistry*, 151(1–3), 171–179. [https://doi.org/10.1016/S1010-6030\(02\)00190-9](https://doi.org/10.1016/S1010-6030(02)00190-9)

Bursten, B. E., Chisholm, M. H., Clark, R. J. H., Firth, S., Hadad, C. M., Macintosh, A. M., ... Zaleski, J. M. (2002). Oxalate-bridged complexes of dimolybdenum and ditungsten supported by pivalate ligands: (tBuCO₂)₃M₂ (μ-O₂CCO₂)M₂ (O₂CtBu)₃. Correlation of the solid-state, molecular, and electronic structures with raman, resonance raman, and electronic spectral data. *Journal of the American Chemical Society*, 124(12), 3050–3063. <https://doi.org/10.1021/ja011786j>

Bursten, B. E., Chisholm, M. H., Clark, R. J. H., Firth, S., Hadad, C. M., Wilson, P. J., ... Zaleski, J. M. (2002). Perfluoroterephthalate bridged complexes with M-M quadruple bonds: (tBuCO₂)₃M₂ (μ-O₂CC₆F₄CO₂) M₂(O₂CtBu)₃, where M = Mo or W. Studies of solid-state, molecular, and electronic structure and correlations with electronic and Raman spectral data. *Journal of the American Chemical Society*, 124(41), 12244–12254. <https://doi.org/10.1021/ja020248j>

Clark, R. J. H., & Foley, L. J. (2002). Photochemically induced reactions of ozone with 1,2-dibromoethene and 1,2-dichloroethene: An FT-IR matrix isolation study. *Journal of Physical Chemistry A*, 106(14), 3356–3364. <https://doi.org/10.1021/jp011707q>

Smith, G. D., Chaplin, T. D., Clark, R. J. H., Jensen, K., & Jacobs, D. (2002). Raman microscopy and remote laser Raman spectroscopy in art history and conservation science: Analysis of three illuminated Gutenberg Bibles. *Microscopy and Microanalysis*, 8(SUPPL. 2), 1532–1533.

Clark, R. J. H., & Firth, S. (2002). Raman, infrared and force field studies of $\text{K}_2\text{C}_2\text{O}_4 \cdot \text{H}_2\text{O}$ and $\text{K}_2\text{C}_2\text{O}_4 \cdot \text{H}_2\text{O}$ in the solid state (see abstract). *Spectrochimica Acta - Part A Molecular and Biomolecular Spectroscopy*, 58(8), 1731–1746. [https://doi.org/10.1016/S1386-1425\(01\)00635-7](https://doi.org/10.1016/S1386-1425(01)00635-7)

Smith, G. D., & Clark, R. J. H. (2002). The role of H_2S in pigment blackening. *Journal of Cultural Heritage*, 3(2), 101–105. [https://doi.org/10.1016/S1296-2074\(02\)01173-1](https://doi.org/10.1016/S1296-2074(02)01173-1)

Al Dulaimi, J. P., Bond, A. M., Clark, R. J. H., Harden, N. C., & Humphrey, D. G. (2002). The use of spectroelectrochemistry to probe the redox-activated ligand-exchange reactions of the complexes $\text{trans}[\text{NBu}_4][\text{RuX}_4(\text{CNXyl})_2]$ ($\text{X} = \text{Cl}$ or Br , $\text{Xyl} = 2,6\text{-dimethylphenyl}$). *Journal of the Chemical Society, Dalton Transactions*, (12), 2541–2547.

Burgio, L., Theodoraki, K., & Clark, R. J. H. (2002). Unusual pigments on Greek icons. *Acta Universitatis Carolinae, Geologica*, 46(1), 10.

Clark, R. J. H. (2003). Pigment identification, Raman microscopy and the arts/science interface: A tribute to Walter McCrone. *Microscopy and Microanalysis*, 9(SUPPL. 2), 166–167.

Burgio, L., Clark, R. J. H., & Theodoraki, K. (2003). Raman microscopy of Greek icons: Identification of unusual pigments. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 59(10), 2371–2389. [https://doi.org/10.1016/S1386-1425\(03\)00079-9](https://doi.org/10.1016/S1386-1425(03)00079-9)

Chisholm, M. H., Clark, R. J. H., Hadad, C. M., & Patmore, N. J. (2004). 3,6-Dioxypyridazine bridged tungsten-tungsten quadruple bonds. Comparisons of electron delocalisation with oxalate bridged compounds. *Chemical Communications*, 4(1), 80–82. <https://doi.org/10.1039/b310982h>

Brown, K. L., & Clark, R. J. H. (2004). Analysis of key Anglo-Saxon manuscripts (8-11th centuries) in the British Library: Pigment identification by Raman microscopy. *Journal of Raman Spectroscopy*, 35(3), 181–189. <https://doi.org/10.1002/jrs.1127>

Jurado-López, A., Demko, O., Clark, R. J. H., & Jacobs, D. (2004). Analysis of the palette of a precious 16th century illuminated Turkish manuscript by Raman microscopy. *Journal of Raman Spectroscopy*, 35(2), 119–124. <https://doi.org/10.1002/jrs.1115>

Chisholm, M. H., Clark, R. J. H., Gallucci, J., Hadad, C. M., & Patmore, N. J. (2004). Electronically-coupled tungsten-tungsten quadruple bonds: Comparisons of electron delocalization in 3,6-dioxypyridazine and oxalate-bridged compounds. *Journal of the American Chemical Society*, 126(26), 8303–8313. <https://doi.org/10.1021/ja048768x>

Chaplin, T. D., Jurado-López, A., Clark, R. J. H., & Beech, D. R. (2004). Identification by Raman microscopy of pigments on early postage stamps: Distinction between original 1847 and 1858-1862, forged and reproduction postage stamps of Mauritius. *Journal of Raman Spectroscopy*, 35(7), 600–604. <https://doi.org/10.1002/jrs.1208>

van der Weerd, J., Smith, G. D., Firth, S., & Clark, R. J. H. (2004). Identification of black pigments on prehistoric Southwest American potsherds by infrared and Raman microscopy. *Journal of Archaeological Science*, 31(10), 1429–1437. <https://doi.org/10.1016/j.jas.2004.03.008>

Van Der Weerd, J., Rehren, T., Firth, S., & Clark, R. J. H. (2004). Identification of iron oxide impurities in earliest industrial-scale processed platinum. *Materials Characterization*, 53(1), 63–70. <https://doi.org/10.1016/j.matchar.2004.08.001>

Clark, R. J. H., & Van Der Weerd, J. (2004). Identification of pigments and gemstones on the Tours Gospel: The early 9th century Carolingian palette. *Journal of Raman Spectroscopy*, 35(4), 279–283. <https://doi.org/10.1002/jrs.1148>

Smith, G. D., & Clark, R. J. H. (2004). Raman microscopy in archaeological science. *Journal of Archaeological Science*, 31(8), 1137–1160. <https://doi.org/10.1016/j.jas.2004.02.008>

Akutsu, H., Akutsu-Sato, A., Turner, S. S., Day, P., Canadell, E., Firth, S., ... Nakatsuji, S. (2004). Superstructures of donor packing arrangements in a series of molecular charge transfer salts. *Chemical Communications*, 4(1), 18–19. <https://doi.org/10.1039/b310683g>

Brown, K. L., & Clark, R. J. H. (2004). The Lindisfarne Gospels and two other 8th century Anglo-Saxon/Insular manuscripts: Pigment identification by Raman microscopy. *Journal of Raman Spectroscopy*, 35(1), 4–12. <https://doi.org/10.1002/jrs.1110>

Clark, R. J. H. (2004). The Vinland Map - Still a 20th Century Forgery. *Analytical Chemistry*, 76(8), 2423. <https://doi.org/10.1021/ac040007p>

Byrnes, M. J., Chisholm, M. H., Clark, R. J. H., Gallucci, J. C., Hadad, C. M., & Patmore, N. J. (2004). Thienyl carboxylate ligands bound to and bridging MM quadruple bonds, M = Mo or W: Models for polythiophenes incorporating MM quadruple bonds. *Inorganic Chemistry*, 43(20), 6334–6344. <https://doi.org/10.1021/ic040086n>

Brown, K. L., & Clark, R. J. H. (2004). Three English manuscripts post-1066 AD: Pigment identification and palette comparisons by Raman microscopy. *Journal of Raman Spectroscopy*, 35(3), 217–223. <https://doi.org/10.1002/jrs.1135>

Clark, R. J. H., & Foley, L. J. (2005). A matrix isolation study of the photochemically induced reactions of nitrogen dioxide with 1,2-dibromoethene and 1,2-dichloroethene using Fourier transform infrared spectroscopy. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 61(7), 1389–1393. <https://doi.org/10.1016/j.saa.2004.10.045>

Sherwin, R., Clark, R. J. H., Lauck, R., & Cardona, M. (2005). Effect of isotope substitution and doping on the Raman spectrum of galena (PbS). *Solid State Communications*, 134(8), 565–570. <https://doi.org/10.1016/j.ssc.2005.02.026>

Civici, N., Demko, O., & Clark, R. J. H. (2005). Identification of pigments used on late 17th century Albanian icons by total reflection X-ray fluorescence and Raman microscopy. *Journal of Cultural Heritage*, 6(2), 157–164. <https://doi.org/10.1016/j.culher.2005.01.002>

Burgio, L., Clark, R. J. H., Sheldon, L., & Smith, G. D. (2005). Pigment identification by spectroscopic means: Evidence consistent with the attribution of the painting *Young Woman Seated at a Virginal* to Vermeer. *Analytical Chemistry*, 77(5), 1261–1267. <https://doi.org/10.1021/ac048481i>

Clark, R. J. H. (2005). Raman microscopy in the identification of pigments on manuscripts and other artwork. *Scientific Examination of Art: Modern Techniques in Conservation and Analysis*. <https://doi.org/10.17226/11413>

Chaplin, T. D., Clark, R. J. H., Jacobs, D., Jensen, K., & Smith, G. D. (2005). The Gutenberg Bibles: Analysis of the illuminations and inks using Raman spectroscopy. *Analytical Chemistry*, 77(11), 3611–3622. <https://doi.org/10.1021/ac050346y>

Clark, R. (2005). Theatre: Artistic differences. *Nature*, 434(7037), 1071. <https://doi.org/10.1038/4341071a>

- Huq, A., Stephens, P. W., Ayed, N., Binous, H., Burgio, L., Clark, R. J. H., & Pantos, E. (2006). Combined technique analysis of the composition of Punic make-up materials. *Applied Physics A: Materials Science and Processing*, 83(2), 253–256. <https://doi.org/10.1007/s00339-006-3518-z>
- Clark, R. J. H., & Mirabaud, S. (2006). Identification of the pigments on a sixteenth century Persian book of poetry by Raman microscopy. *Journal of Raman Spectroscopy*, 37(1–3), 235–239. <https://doi.org/10.1002/jrs.1473>
- Chaplin, T. D., Clark, R. J. H., McKay, A., & Pugh, S. (2006). Raman spectroscopic analysis of selected astronomical and cartographic folios from the early 13th century Islamic “Book of Curiosities of the Sciences and Marvels for the Eyes.” *Journal of Raman Spectroscopy*, 37(8), 865–877. <https://doi.org/10.1002/jrs.1536>
- Chaplin, T. D., Clark, R. J. H., & Scott, D. A. (2006). Study by Raman microscopy of nine variants of the green-blue pigment verdigris. *Journal of Raman Spectroscopy*, 37(1–3), 223–229. <https://doi.org/10.1002/jrs.1469>
- Clark, R. J. H., Wang, Q., & Correia, A. (2007). Can the Raman spectrum of anatase in artwork and archaeology be used for dating purposes? Identification by Raman microscopy of anatase in decorative coatings on Neolithic (Yangshao) pottery from Henan, China. *Journal of Archaeological Science*, 34(11), 1787–1793. <https://doi.org/10.1016/j.jas.2006.12.018>
- Casey, A. T., Clark, R. J. H., Boyd, T. E., Rhine, W., & Stucky, G. (2007). Dichlorotetrakis(2-propanol)vanadium(III) Chloride. *Inorganic Syntheses* (Vol. 13). <https://doi.org/10.1002/9780470132449.ch35>
- Rashid, S., Turner, S. S., Day, P., Howard, J. A. K., Guionneau, P., McInnes, E. J. L., ... Biggs, T. (2007). Molecular metals and superconductors: New superconducting charge-transfer salts (BEDT-TTF) 4 [A·M(C₂O₄)₃]-C₆H₅NO₂ (A = H₃O or NH₄, M = Cr or Fe, BEDT-TTF = bis(ethylenedithio)tetrathiafulvalene). *Molecules into Materials: Case Studies in Materials Chemistry-Mixed Valency, Magnetism and Super Conductivity*. https://doi.org/10.1142/9789812706836_0043
- Correia, A. M., Clark, R. J. H., Ribeiro, M. I. M., & Duarte, M. L. T. S. (2007). Pigment study by Raman microscopy of 23 paintings by the Portuguese artist Henrique Pousão (1859-1884). *Journal of Raman Spectroscopy*, 38(11), 1390–1405. <https://doi.org/10.1002/jrs.1786>
- Burgio, L., Clark, R. J. H., & Rosser-Owen, M. (2007). Raman analysis of ninth-century Iraqi stuccoes from Samarra. *Journal of Archaeological Science*, 34(5), 756–762. <https://doi.org/10.1016/j.jas.2006.08.002>
- Clark, R. J. H. (2007). Raman microscopy as a structural and analytical tool in the fields of art and archaeology. *Journal of Molecular Structure*, 834–836(SPEC. ISS.), 74–80. <https://doi.org/10.1016/j.molstruc.2007.01.031>
- Casey, A. T., Clark, R. J. H., Nyholm, R. S., Scaife, D. E., Boyd, T. E., Rhine, W., & Stucky, G. (2007). Tetraphenylarsonium Tetrachlorovanadate(III). *Inorganic Syntheses* (Vol. 13). <https://doi.org/10.1002/9780470132449.ch31>
- Clark, R. J. H. (2007). The scientific investigation of artwork and archaeological artefacts: Raman microscopy as a structural, analytical and forensic tool. *Applied Physics A: Materials Science and Processing*, 89(4), 833–840. <https://doi.org/10.1007/s00339-007-4212-5>

- Casey, A. T., Clark, R. J. H., Pidgeon, K. J., Rhine, W., & Stucky, G. (2007). Trichlorobis(trimethylamine)vanadium(III). *Inorganic Syntheses* (Vol. 13). <https://doi.org/10.1002/9780470132449.ch36>
- Clark, R. J. H., Coles, M. A., & Smith, P. W. (2007). Trichloromethyltitanium and tribromomethyltitanium. *Inorganic Syntheses: Volume XVI*. <https://doi.org/10.1002/9780470132470.ch34>
- Casey, A. T., Clark, R. J. H., Rhine, W., Boyd, T. E., & Stucky, G. (2007). Tris (Tetraethylammonium) Nonachlorodivanadate (III). *Inorganic Syntheses* (Vol. 13). <https://doi.org/10.1002/9780470132449.ch32>
- Towe, K. M., Clark, R. J. H., & Seaver, K. A. (2008). Analysing the vinland map: A critical review of a critical review. *Archaeometry*, 50(5), 887–893. <https://doi.org/10.1111/j.1475-4754.2008.00428.x>
- Correia, A. M., Oliveira, M. J. V., Clark, R. J. H., Ribeiro, M. I., & Duarte, M. L. (2008). Characterization of Pousão pigments and extenders by micro-X-ray diffractometry and infrared and Raman microspectroscopy. *Analytical Chemistry*, 80(5), 1482–1492. <https://doi.org/10.1021/ac701887p>
- Day, P., Hush, N. S., & Clark, R. J. H. (2008). Mixed valence: Origins and developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 366(1862), 5–14. <https://doi.org/10.1098/rsta.2007.2135>
- Burgio, L., Clark, R. J. H., Muralha, V. S. F., & Stanley, T. (2008). Pigment analysis by Raman microscopy of the non-figurative illumination in 16th- to 18th-century Islamic manuscripts. *Journal of Raman Spectroscopy*, 39(10), 1482–1493. <https://doi.org/10.1002/jrs.2027>
- Etchegoin, P. G., Cardona, M., Lauck, R., Clark, R. J. H., Serrano, J., & Romero, A. H. (2008). Temperature-dependent Raman scattering of natural and isotopically substituted PbS. *Physica Status Solidi (B) Basic Research*, 245(6), 1125–1132. <https://doi.org/10.1002/pssb.200743364>
- Zhang, Z., Brown, S., Goodall, J. B. M., Weng, X., Thompson, K., Gong, K., ... Darr, J. A. (2009). Direct continuous hydrothermal synthesis of high surface area nanosized titania. *Journal of Alloys and Compounds*, 476(1–2), 451–456. <https://doi.org/10.1016/j.jallcom.2008.09.036>
- Zhang, Z., Goodall, J. B. M., Morgan, D. J., Brown, S., Clark, R. J. H., Knowles, J. C., ... Darr, J. A. (2009). Photocatalytic activities of N-doped nano-titanias and titanium nitride. *Journal of the European Ceramic Society*, 29(11), 2343–2353. <https://doi.org/10.1016/j.jeurceramsoc.2009.02.008>
- Burgio, L., Clark, R. J. H., & Hark, R. R. (2009). Spectroscopic investigation of modern pigments on purportedly medieval miniatures by the “Spanish Forger.” *Journal of Raman Spectroscopy*, 40(12), 2031–2036. <https://doi.org/10.1002/jrs.2364>
- Burgio, L., Clark, R. J. H., Hark, R. R., Rumsey, M. S., & Zannini, C. (2009). Spectroscopic investigations of bourdichon miniatures: Masterpieces of light and color. *Applied Spectroscopy*, 63(6), 611–620. <https://doi.org/10.1366/000370209788559593>
- Chaplin, T. D., Clark, R. J. H., & Martín-Torres, M. (2010). A combined Raman microscopy, XRF and SEM-EDX study of three valuable objects - A large painted leather screen and two illuminated title pages in 17th century books of ordinances of the Worshipful Company of Barbers, London. *Journal of Molecular Structure*, 976(1–3), 350–359. <https://doi.org/10.1016/j.molstruc.2010.03.042>

Zhang, Z., Goodall, J. B. M., Brown, S., Karlsson, L., Clark, R. J. H., Hutchison, J. L., ... Darr, J. A. (2010). Continuous hydrothermal synthesis of extensive 2D sodium titanate ($\text{Na}_2\text{Ti}_3\text{O}_7$) nano-sheets. *Dalton Transactions*, 39(3), 711–714. <https://doi.org/10.1039/b915699b>

Clark, R. J. H. (2010). Far-infrared spectroscopy, the wavenumbers of metal-ligand vibrations and the characterisation of inorganic pigments. *Journal of Raman Spectroscopy*, 41(4), 361–362. <https://doi.org/10.1002/jrs.2633>

Kellici, S., Gong, K., Lin, T., Brown, S., Clark, R. J. H., Vickers, M., ... Darr, J. A. (2010). High-throughput continuous hydrothermal flow synthesis of Zn-Ce oxides: Unprecedented solubility of Zn in the nanoparticle fluorite lattice. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 368(1927), 4331–4349. <https://doi.org/10.1098/rsta.2010.0135>

Clark, R. J. H. (2010). Raman microscopy and the identification of pigments in archaeological artefacts. In *AIP Conference Proceedings* (Vol. 1267, pp. 145–146). <https://doi.org/10.1063/1.3482431>

Burgio, L., Clark, R. J. H., & Hark, R. R. (2010). Raman microscopy and x-ray fluorescence analysis of pigments on medieval and Renaissance Italian manuscript cuttings. *Proceedings of the National Academy of Sciences of the United States of America*, 107(13), 5726–5731. <https://doi.org/10.1073/pnas.0914797107>

Hark, R. R., & Clark, R. J. H. (2010). Raman microscopy of diverse samples of lapis lazuli at multiple excitation wavelengths. In *AIP Conference Proceedings* (Vol. 1267, pp. 315–316). <https://doi.org/10.1063/1.3482531>

Clark, R. J. H., Hark, R. R., Salvadó, N., Butí, S., & Pradell, T. (2010). Spectroscopy study of mural paintings from the Pyrenean Church of SaintEulàlia of Unha. *Journal of Raman Spectroscopy*, 41(11), 1418–1424. <https://doi.org/10.1002/jrs.2687>

Muralha, V. S. F., Rehren, T., & Clark, R. J. H. (2011). Characterization of an iron smelting slag from Zimbabwe by Raman microscopy and electron beam analysis. *Journal of Raman Spectroscopy*, 42(12), 2077–2084. <https://doi.org/10.1002/jrs.2961>

Clark, M. P. A., & Clark, R. J. H. (2011). Rutherford and Raman - Nobel laureates who had difficult early journeys to success. *Journal of Raman Spectroscopy*, 42(12), 2173–2178. <https://doi.org/10.1002/jrs.3061>

Clark, R. J. H., & Kelly, M. J. (2012). New Zealand-born fellows of the Royal Society. *Journal of the Royal Society of New Zealand*, 42(2), 121–130. <https://doi.org/10.1080/03036758.2012.673496>

Muralha, V. S. F., Burgio, L., & Clark, R. J. H. (2012). Raman spectroscopy analysis of pigments on 16-17th c. Persian manuscripts. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 92, 21–28. <https://doi.org/10.1016/j.saa.2012.02.020>

Brown, S., & Clark, R. J. H. (2013). Anatase: Important industrial white pigment and date-marker for artwork. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 110, 78–80. <https://doi.org/10.1016/j.saa.2013.03.041>

Quesada-Cabrera, R., Weng, X., Hyett, G., Clark, R. J. H., Wang, X. Z., & Darr, J. A. (2013). High-throughput continuous hydrothermal synthesis of nanomaterials (Part II): Unveiling the as-prepared CeZrYzO 2- δ phase diagram. *ACS Combinatorial Science*, 15(9), 458–463. <https://doi.org/10.1021/co3001346>

Clark, R. J. H. (2013). Rayleigh, Ramsay, Rutherford and Raman-their connections with, and contributions to, the discovery of the Raman effect. *Analyst*, 138(3), 729–734. <https://doi.org/10.1039/c2an90124b>

Scarpelli, R., Clark, R. J. H., & De Francesco, A. M. (2014). Archaeometric study of black-coated pottery from Pompeii by different analytical techniques. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 120, 60–66. <https://doi.org/10.1016/j.saa.2013.09.139>

Chaplin, T. D., Clark, R. J. H., & Singer, B. W. (2014). Early 20th C Russian painting? Raman identification of modern pigments on a pastel supposedly painted by the renowned artist Natalia Goncharova. *Journal of Raman Spectroscopy*, 45(11–12), 1322–1325. <https://doi.org/10.1002/jrs.4569>

Chaplin, T. D., & Clark, R. J. H. (2016). Identification by Raman microscopy of anachronistic pigments on a purported Chagall nude: conservation consequences. *Applied Physics A: Materials Science and Processing*, 122(3), 1–5. <https://doi.org/10.1007/s00339-016-9644-3>

Chaplin, T. D., Clark, R. J. H., Jones, R., & Gibbs, R. (2016). Pigment analysis by Raman microscopy and portable X-ray fluorescence (pXRF) of thirteenth to fourteenth century illuminations and cuttings from Bologna. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2082). <https://doi.org/10.1098/rsta.2016.0043>