

Charles Roger Slack

Bibliography

The following bibliography has been researched by Ian Brooking and John Christeller formerly of Plant Physiology Division, DSIR, Palmerston North, and is presented here as his publications with 50 or more citations followed by the remainder in chronological order.

Roger Slack's most cited publications in Google Scholar as of December 2016

1. Hatch, M. D. and C. R. Slack (1966). Photosynthesis by sugar-cane leaves: a new carboxylation reaction and the pathway of sugar formation. *Biochemical Journal* 101(1): 103-111. [GS cites: 830]
2. Hatch, M. D. and C. R. Slack (1970). Photosynthetic CO₂-fixation pathways. *Annual Review of Plant Physiology* 21: 141-162. [GS cites: 588]
3. Roughan, P. G. and C. R. Slack (1982). Cellular organization of glycerolipid metabolism. *Annual Review of Plant Physiology and Plant Molecular Biology* 33: 97-132. [GS cites: 505]
4. Hatch, M. D., C. R. Slack and H. S. Johnson (1967). Further studies on a new pathway of photosynthetic carbon dioxide fixation in sugar-cane and its occurrence in other plant species. *Biochemical Journal* 102(2): 417-422. [GS cites: 259]
5. Slack, C. R. and M. D. Hatch (1967). Comparative studies on the activity of carboxylases and other enzymes in relation to the new pathway of photosynthetic carbon dioxide fixation in tropical grasses. *Biochemical Journal* 103(3): 660-665. [GS cites: 240]
6. Hatch, M. D. and C. R. Slack (1968). A new enzyme for the interconversion of pyruvate and phosphopyruvate and its role in the C₄ dicarboxylic acid pathway of photosynthesis. *Biochemical Journal* 106(1): 141-146. [GS cites: 234]
7. Slack, C. R., M. D. Hatch and D. J. Goodchild (1969). Distribution of enzymes in mesophyll and parenchyma-sheath chloroplasts of maize leaves in relation to the C₄-dicarboxylic acid pathway of photosynthesis. *Biochemical Journal* 114(3): 489-498. [GS cites: 222]
8. Roughan, P. G., R. Holland and C. R. Slack (1980). The role of chloroplasts and microsomal fractions in polar-lipid synthesis from [1-¹⁴C] acetate by cell-free preparations from spinach (*Spinacia oleracea*) leaves. *Biochemical Journal* 188(1): 17-24. [GS cites: 162]
9. Hatch, M. D., C. R. Slack and T. A. Bull (1969). Light-induced changes in the content of some enzymes of the C₄-dicarboxylic acid pathway of photosynthesis and its effect on other characteristics of photosynthesis. *Phytochemistry* 8(4): 697-706. [GS cites: 136]
10. Hatch, M. D. and C. R. Slack (1969). Studies on the mechanism of activation and inactivation of pyruvate, phosphate dikinase. A possible regulatory role for the enzyme in the C₄ dicarboxylic acid pathway of photosynthesis. *Biochemical Journal* 112(5): 549-558. [GS cites: 131]
11. Roughan, P. G., R. Holland and C. R. Slack (1979). On the control of long-chain-fatty acid synthesis in isolated intact spinach (*Spinacia oleracea*) chloroplasts. *Biochemical Journal* 184(2): 193-202. [GS cites: 128]
12. Hatch, M. D. and C. R. Slack (1969). NADP-specific malate dehydrogenase and glycerate kinase in leaves and evidence for their location in chloroplasts. *Biochemical and Biophysical Research Communications* 34(5): 589-593. [GS cites: 122]

13. Browse, J., N. Warwick, C. R. Somerville and C. R. Slack (1986). Fluxes through the prokaryotic and eukaryotic pathways of lipid synthesis in the '16: 3' plant *Arabidopsis thaliana*. *Biochemical Journal* 235(1): 25-31. [GS cites: 115]
14. Slack, C. R., P. G. Roughan and J. Terpstra (1976). Some properties of a microsomal oleate desaturase from leaves. *Biochemical Journal* 155(1): 71-80. [GS cites: 111]
15. Campbell, W. P., C. W. Wrigley, P. J. Cressey and C. R. Slack (1987). Statistical correlations between quality attributes and grain-protein composition for 71 hexaploid wheats used as breeding parents. *Cereal Chemistry* 64(5): 293-299. [GS cites: 110]
16. Slack, C. R. and P. G. Roughan (1975). The kinetics of incorporation in vivo of [^{14}C] acetate and [^{14}C] carbon dioxide into the fatty acids of glycerolipids in developing leaves. *Biochemical Journal* 152(2): 217-228. [GS cites: 101]
17. Roughan, G. and R. Slack (1984). Glycerolipid synthesis in leaves. *Trends in Biochemical Sciences* 9(9): 383-386. [GS cites: 100]
18. Slack, C. R., P. G. Roughan and N. Balasingham (1978). Labelling of glycerolipids in the cotyledons of developing oilseeds by [^{1-14}C] acetate and [^{2-3}H] glycerol. *Biochemical Journal* 170(2): 421-433. [GS cites: 110]
19. Slack, C. R., P. G. Roughan and N. Balasingham (1977). Labelling studies in vivo on the metabolism of the acyl and glycerol moieties of the glycerolipids in the developing maize leaf. *Biochemical Journal* 162(2): 289-296. [GS cites: 104]
20. Slack, C. R., P. G. Roughan, J. A. Browse and S. E. Gardiner (1985). Some properties of cholinephosphotransferase from developing safflower cotyledons. *Biochimica et Biophysica Acta* 833(3): 438-448. [GS cites: 94]
21. Everson, R. G. and C. R. Slack (1968). Distribution of carbonic anhydrase in relation to the C 4 pathway of photosynthesis. *Phytochemistry* 7(4): 581-584. [GS cites: 94]
22. Roughan, P. G., J. B. Mudd, T. T. McManus and C. R. Slack (1979). Linoleate and α -linolenate synthesis by isolated spinach (*Spinacia oleracea*) chloroplasts. *Biochemical Journal* 184(3): 571-574. [GS cites: 90]
23. Slack, C. R., P. G. Roughan and J. Browse (1979). Evidence for an oleoyl phosphatidylcholine desaturase in microsomal preparations from cotyledons of safflower (*Carthamus tinctorius*) seed. *Biochemical Journal* 179(3): 649-656. [GS cites: 110]
24. Roughan, P. G., C. R. Slack and R. Holland (1978). Generation of phospholipid artefacts during extraction of developing soybean seeds with methanolic solvents. *Lipids* 13(7): 497-503. [GS cites: 88]
25. Taylor, A. O., C. R. Slack and H. G. McPherson (1974). Plants under climatic stress VI. Chilling and light effects on photosynthetic enzymes of sorghum and maize. *Plant Physiology* 54(5): 696-701. [GS cites: 87]
26. Andrews, T. J., H. S. Johnson, C. R. Slack and M. D. Hatch (1971). Malic enzyme and aminotransferases in relation to 3-phosphoglycerate formation in plants with the C4-dicarboxylic acid pathway of photosynthesis. *Phytochemistry* 10(9): 2005-2013. [GS cites: 74]
27. Roughan, P. G. and C. R. Slack (1977). Long-chain acyl-coenzyme A synthetase activity of spinach chloroplasts is concentrated in the envelope. *Biochemical Journal* 162(2): 457-459. [GS cites: 77]
28. Slack, C. R. (1968). The photoactivation of a phosphopyruvate synthase in leaves of *Amaranthus palmeri*. *Biochemical and Biophysical Research Communications* 30(5): 483-488. [GS cites: 68]
29. Slack, C. R., W. S. Bertaud, B. D. Shaw, R. Holland, J. Browse and H. Wright (1980). Some studies on the composition and surface properties of oil bodies from the seed cotyledons of

- safflower (*Carthamus tinctorius*) and linseed (*Linum usitatissimum*). *Biochemical Journal* 190(3): 551-561. [GS cites: 67]
30. Roughan, P. G., R. Holland, C. R. Slack and J. B. Mudd (1979). Acetate is the preferred substrate for long-chain fatty acid synthesis in isolated spinach chloroplasts. *Biochemical Journal* 184(3): 565-569. [GS cites: 75]
 31. Graham, D., M. D. Hatch, C. R. Slack and R. M. Smillie (1970). Light-induced formation of enzymes of the C4-dicarboxylic acid pathway of photosynthesis in detached leaves. *Phytochemistry* 9(3): 521-532. [GS cites: 65]
 32. Slack, C. R., P. G. Roughan and H. C. M. Bassett (1974). Selective inhibition of mesophyll chloroplast development in some C4-pathway species by low night temperature. *Planta* 118(1): 57-73. [GS cites: 63]
 33. Slack, C. R., L. C. Campbell, J. A. Browse and P. G. Roughan (1983). Some evidence for the reversibility of the cholinephosphotransferase-catalysed reaction in developing linseed cotyledons in vivo. *Biochimica et Biophysica Acta* 754(1): 10-20. [GS cites: 68]
 34. Roughan, P. G., C. R. Slack and R. Holland (1976). High rates of [1-14C] acetate incorporation into the lipid of isolated spinach chloroplasts. *Biochemical Journal* 158(3): 593-601. [GS cites: 57]
 35. Lowe, J. and C. R. Slack (1971). Inhibition of maize leaf phosphopyruvate carboxylase by oxaloacetate. *Biochimica et Biophysica Acta* 235(1): 207-209. [GS cites: 54]

Remainder of publications, chronologically

36. Slack, C. R. and W. J. Whittington (1964). The role of boron in plant growth III. The effects of differentiation and deficiency on radicle metabolism. *Journal of Experimental Botany* 15(45): 495-514.
37. Slack, C. R. (1965). The physiology of sugar-cane VIII. Diurnal fluctuations in the activity of soluble invertase in elongating internodes. *Australian Journal of Biological Sciences* 18(4): 781-788.
38. Slack, C. R. (1966). Inhibition of UDP glucose: D-fructose 2-glucosyltransferase from sugar cane stem tissue by phenol oxidation products. *Phytochemistry* 5(3): 397-403.
39. Hatch, M. D. and C. R. Slack (1967). The participation of phosphoenolpyruvate synthetase in photosynthetic CO₂ fixation of tropical grasses. *Archives of Biochemistry and Biophysics* 120(1): 224-225.
40. Slack, C. R. (1969). Localization of certain photosynthetic enzymes in mesophyll and parenchyma sheath chloroplasts of maize and *Amaranthus palmeri*. *Phytochemistry* 8(8): 1387-1391.
41. Roughan, P. G. and C. R. Slack (1973). Simple methods for routine screening and quantitative estimation of oxalate content of tropical grasses. *Journal of the Science of Food and Agriculture* 24(7): 803-811.
42. Roughan, P. G. and C. R. Slack (1974). Glycerolipid involvement in biosynthesis of polyunsaturated fatty-acids in plants. *Chemistry in New Zealand* 38(4): 117-117.
43. Taylor, A. O., C. R. Slack and H. G. McPherson (1974). Effect of "low" temperatures on the levels and activity of some C4-pathway enzymes. *Bulletin, The Royal Society of New Zealand*(12): 519-524.
44. Slack, C. R., P. G. Roughan and H. C. M. Bassett (1974). Selective inhibition of mesophyll chloroplast development in some C4-pathway species by low night temperatures. *Bulletin, The Royal Society of New Zealand*(12): 499-504.
45. Roughan, P. G. and C. R. Slack (1976). Is phospholipase D really an enzyme?: A comparison of in situ and in vitro activities. *Biochimica et Biophysica Acta* 431(1): 86-95.

46. Forde, B. J., C. R. Slack, P. G. Roughan and H. C. M. Whitehead (1976). Growth of tropical and temperate grasses at Palmerston North: I. Warm-season yields with and without irrigation. *New Zealand Journal of Agricultural Research* 19(2): 135-142.
47. Forde, B. J., C. R. Slack, P. G. Roughan, R. M. Haslemore and M. N. McLeod (1976). Growth of tropical and temperate grasses at Palmerston North: II. Total nitrogen, soluble sugar, starch, and in vitro digestibility determinations. *New Zealand Journal of Agricultural Research* 19(4): 489-498.
48. Slack, C. R. and P. G. Roughan (1978). Rapid temperature-induced changes in the fatty acid composition of certain lipids in developing linseed and soya-bean cotyledons. *Biochemical Journal* 170(2): 437-439.
49. Slack, C. R. and P. G. Roughan (1980). A comparison of the polypeptide and phospholipid composition of oil body and microsomal preparations from safflower and linseed cotyledons. In *Biogenesis and Function of Plant Lipids* eds. P. Mazliak, P. Benviste, C. Costes and R. Douce. Elsevier/North Holland Biomedical Press: 219-222.
50. Roughan, P. G. and C. R. Slack (1980). The role of chloroplasts in leaf lipid metabolism and polyunsaturated fatty acid biosynthesis. In *Biogenesis and Function of Plant Lipids* eds. P. Mazliak, P. Benveniste, C. Costes and R. Douce. Elsevier/North Holland Biomedical Press: 11-18.
51. Nikolau, B. J., J. C. Hawke and C. R. Slack (1981). Acetyl-coenzyme A carboxylase in maize leaves. *Archives of Biochemistry and Biophysics* 211(2): 605-612.
52. Browse, J., P. G. Roughan and C. R. Slack (1981). Light control of fatty acid synthesis and diurnal fluctuations of fatty acid composition in leaves. *Biochemical Journal* 196(1): 347-354.
53. Roughan, P. G. and C. R. Slack (1981). Acyl-CoA may be a neglected product in studies of fatty acid synthesis by isolated chloroplasts. *FEBS Letters* 135(1): 182-186. [WoS cites: 12] [GS cites: 13]
54. Browse, J. A. and C. R. Slack (1981). Catalase stimulates linoleate desaturase activity in microsomes from developing linseed cotyledons. *FEBS Letters* 131(1): 111-114.
55. Haslemore, R. M., C. R. Slack and K. N. Brodrick (1982). Assessment of malting quality of lines from a barley breeding programme. *New Zealand Journal of Agricultural Research* 25(4): 497-502.
56. Willemot, C., C. R. Slack, J. Browse and P. G. Roughan (1982). Effect of BASF 13-338, a substituted pyridazinone, on lipid metabolism in leaf tissue of spinach, pea, linseed, and wheat. *Plant Physiology* 70(1): 78-81.
57. Gardiner, S. E., P. G. Roughan and C. R. Slack (1982). Manipulating the incorporation of [1-¹⁴C] acetate into different leaf glycerolipids in several plant species. *Plant Physiology* 70(5): 1316-1320.
58. Clothier, B. E. and C. R. Slack (1982). Preliminary results of trials using potassium carbonate to accelerate lucerne hay drying (II) Palmerston North. *Proceedings Agronomy Society of New Zealand* 12: 75-77.
59. Browse, J. and C. R. Slack (1983). The effects of temperature and oxygen on the rates of fatty acid synthesis and oleate desaturation in safflower (*Carthamus tinctorius*) seed. *Biochimica et Biophysica Acta* 753(2): 145-152.
60. Slack, C. R. (1983). Phosphatidylcholine, an intermediate in polyunsaturated triacylglycerol synthesis. *Biosynthesis and function of plant lipids. Proceedings of the Sixth Annual Symposium in Botany*: 40-54.
61. Haslemore, R. M., C. G. Tunnicliffe, C. R. Slack and S. Shaw (1985). An automated micro-malting unit for quality assessment in a barley breeding programme. *Journal of the Institute of Brewing* 91(2): 101-105.

62. Sparks, G. A., D. B. MacGibbon, G. D. Coles and C. R. Slack (1985). Identification of New Zealand grown barley cultivars by grain characters. *New Zealand Journal of Experimental Agriculture* 13(4): 359-367.
63. Browse, J. and C. R. Slack (1985). Fatty-acid synthesis in plastids from maturing safflower and linseed cotyledons. *Planta* 166(1): 74-80.
64. Thompson, G. A., P. G. Roughan, J. A. Browse, C. R. Slack and S. E. Gardiner (1986). Spinach leaves desaturate exogenous [14C] palmitate to hexadecatrienoate evidence that de novo glycerolipid synthesis in chloroplasts can utilize free fatty acids imported from other cellular compartments. *Plant Physiology* 82(2): 357-362.
65. Slack, C. R., D. A. Hancock, R. M. Haslemore and C. G. Tunnicliffe (1986). A simplified method for estimating hot water extract using small malt samples. *Journal of the Institute of Brewing* 92(3): 262-263.
66. Gardiner, S. E., M. B. Forde and C. R. Slack (1986). Grass cultivar identification by sodium dodecylsulphate polyacrylamide gel electrophoresis. *New Zealand Journal of Agricultural Research* 29(2): 193-206.
67. Browse, J., C. R. Somerville and C. R. Slack (1988). Changes in lipid composition during protoplast isolation. *Plant Science* 56(1): 15-20.
68. Haslemore, R. M., C. G. Tunnicliffe, M. G. Peipi, and C. R. Slack (1990) Using wort β -glucan levels to aid selection in a barley breeding programme. - *Proceedings 21st Convention of the Institute of Brewing (Aust & NZ Section)*, Auckland, New Zealand. 79-82.
69. Hatch, M. D. and C. R. Slack (1998) C4 photosynthesis: discovery, resolution, recognition and significance. In: Kung S and Yang S (eds) *Discoveries in Plant Biology*, Vol 1, World Scientific Publishing, Singapore. 175–196.